

Introduction to the Installation of ConCardis PayEngine

First of all, thank you very much for your purchase of the ConCardis PayEngine module and for having confidence in us.

Once you have the account details, you can log into the back-end under https://secure.payengine.de/.

Procedure

The usual procedure includes your receiving of the test-login details (recognisable due to the PSPID ending in TEST). The module should be tested extensively within this trial phase. If the tests were successful, you can directly contact ConCardis PayEngine and request the switch of your PSPID to going live. ConCardis PayEngine will then gladly take care of the rest for you. You will merely have to set your module to live processing. However, you will be coordinate to the payEngine of the rest for you.

As mentioned before, you must use your account details, which you have received from ConCardis PayEngine in order to log into https://secure.payengine.de/.

In order to be able to work with the module you have to change some settings in the administrator user interface under "Technical Information". In the following we will only mention those settings which are relevant for the interaction between the ConCardis PayEngine gateway and the module.

Global transaction parameter

For this paragraph you should read the comments for the respective options and fill it in according to your needs. These options have an influence on the handling of payments. They are relevant for the process of how to handle payments but not for the actual interaction between the shop and the ConCardis PayEngine API.

Before beginning with the configuration you must set a SHA-1-IN pass phrase. Please go to the section **Data and origin verification** further below and then return to **Global transaction parameters** and continue with the point Default operation code.

Default operation code

We recommend the option "sale", in that case all incoming payments will be processed and billed directly.

Payment retry

We recommend setting the counter to "10".

Processing for individual transactions

We recommend the option "Online but switch to offline when the online acquiring system is unavailable."

Default ECI value

We recommend choosing the value "7 - eCommerce with SSL-encryption".

Global security parameters

Here you can set the security parameters for the interaction between the shop and the gateway of ConCardis PayEngine. It is important that you set the same configurations as in your shop module. You should set the sign



encodings to UTF-8. You can not change this in the module. Furthermore, please pay attention towards the fact that SHA-256 or SHA-512 Hash-methods require at least PHP 5.1.2.

Hashing methods

We recommend choosing SHA-512 and UTF-8 encoding. Please pay attention to the fact that SHA-256 or SHA-512 Hash-methods require at least PHP 5.1.2.

Template

Tick "No" for the enabling of JavaScript.

The static template is not supported by our module. You must therefore tick "no" for the usage of static template.

Enter the host-name into the lower box, e.g. http://yourshop.com. The upper box should remain empty.

Data and origin verification

In this paragraph the data required for the verification of the origin of payments is determined. Only the field "Verifications for e-Commerce" is relevant. Do not enter anything under URL of the merchant page.

"SHA-1-IN pass phrase" is a security component of the payment which verifies its genuineness. It is, therefore, important that you use the same pass phrase in the back-end as in the shop. In order to generate an easy pass phrase we recommend you to use the Ogone <u>SHA-1 pass phrase generator</u> of customweb Ltd.

If the Direct Link option is activated for your account, you will have to enter the SHA-IN pass phrase for Direct Link. This pass phrase must be identical to the SHA-IN pass phrase for e-commerce!

Transaction feedback

The parameter of the transaction feedback defines the processing in the shop after the payment has been effected.

- Nothing has to be entered in the four boxes under "http-redirection in the browser as this is carried out by our module.
- Leave the box "I would like to receive transaction feedback parameters..."
- Check the box "I would like the PSP to display..."

Direct HTTP-server-to-server request

Under "Direct HTTP-server-to-server request" we advise you to chose the settings listed below. Furthermore, you must enter the listed URL of the merchant page in both of the fields.

- •
- The request type must be set to "always online (directly after the payment...)"
- The **URL** of the merchant site to which the transaction feedback should be sent must be defined in both boxes. Please use the following URL:
 - If no SEO URLs are activ, please use this URL: https://www.your-shopurl.com/index.php?fc=module&module=payenginecw&controller=notification
 - In case you do have active SEO URLs, you require this URL:

https://www.your-shop-url.com/module/payenginecw/notification

Please make sure that you are using the correct protocol (https:// or http://)



As request method you should use "POST"

Dynamic e-Commerce parameters

No changes have to be made

General

Tick both boxes

Security for request parameters

The box "SHA-1-OUT pass phrase" is a further security mechanism of the payment. Here too, the chosen signature must be identical to the one in the shop. Please make sure, however, that the SHA-1 OUT pass phrase is different from the SHA-1 IN. For this you may use our pass phrase generator

HTTP request for status changes

Chose the option "no request" and leave the box empty

Transactions e-mails

Here you can configure your e-mail settings. In general no configuration is needed for the standard usage. If you nevertheless want to change the configuration, we recommend the following settings:

- · Yes for all transaction submission modes
- No

Create AP Huser for the Hidden Authorisation Mode

A precondition for using the Hidden Authorisation or the Transaction Management are the OnePageCheckout (Alias Gateway) and the DirectLink option. In order to see if you have activated this, log into the back-end of your PSP and go to Account > Your options and search for One Page Checkout. If this option is not activated, please contact your PSP.

In order to use either of this options you will need:

- DirectLink: To use the integrated transaction management directly in your shop
- OnePageCheckout (Alias Gateway): To make use of the Hidden Authorisation

Ask you Payment Service Provider to activate this option.

In case you wish to use the Hidden Authorisation or the transaction management we recommend creating an API-user. Otherwise the password will have to be changed in the shop-admin every few weeks.

- In order to create a new user, log into your PSPs back-end and go to Configuration > Users > New User. Fill in all the required fields and then check the box 'Special User for API'.
- As profile, choose 'Admin without user management'
- Make sure that you have entered the SHA-IN pass phrase under Data and Origin Verifiication > Direct Link.



The pass phrase must be identical to the SHA-In pass phrase for e-commerce

Transaction Management (Prestashop)

From version 2 onwards of our PrestaShop Module there is an extensive transaction management tool at your disposal. An overview over the transactions can be found directly in the corresponding order view under the tab 'Module' entrepression (Presta Shop)

Once you have gone through all the settings in the administrator user interface then the next step is the installation of the module in the shop. If you are updating the module, please skip this passage and jump to "Updating the Module".

- 1. The download is automatically cleared once the payment has been effected, You will find the menu point "Download" on the right side under "Your account". Click on the desired order and download the module.
- 2. Extract the ZIP and copy the content of the folder "files" onto the server into the main directory of your shop (e.g. via FTP).

Configuration in the Shop

Configuration of the Main Module

- 1. Log into the back-end of your shop.
- 2. Search for the main module under Modules > Modules.
- 3. Install the module and configure it identically to the configuration in the back-end of your PSP!

Configuration of the Payment Methods

All offered payment methods can be found under Modules > Payments. Activate and configure the payment methods supported by your PSP-contract package.

Transaction Manager

If you wish to use the transaction manager tool integrated into PrestaShop you must make sure that you have activated the options Direct Link (New Payment) and Direct Link (Maintenance). You can find all information on this by logging into the back-end of your PSP and going to Account > Your options. If you do not see these two options

ป๒๗สŧe[.]๛๙๚ฅฅModule

In case you have already installed an older version of the module in your shop, it is absolutely crucial that you first **deactivate** the module in the back-end of your shop! **DO NOT UNINSTALL**, otherwise you will no longer have access to former orders.

After having deactivated the module, follow the instructions of the previous passage "Module Installation in the Shop".



Testing the Integration

Generally, you will first receive a test account (PSPID ends with "TEST"). With this test account you can try out the functionalities of the module. A test order is usually required before the account goes live.

Activate Live Mode

In the module-configuration you can switch from "live" to "test". Through this, the correct configuration for the test will automatically be used. You will find the test details in the back-end under technical information. Test-Info or in this document further below.

Please contact you Payment Service Provider. . It is important that you carry out this switch. Executed orders will be their interest of Data

In order to test the module, please go to http://www.sellxed.com/en/testing. All relevant test card data is listed the rors and Their Solutions

In the following passage you will find the various known problems and the solutions to them. In case you have a problem it is best to thoroughly read through the following chapters. If this does not help you, contact us and we will surely find a solution.

Error code	Error description	Solutions
unknown order/1/r	The registered referrer in the Payment Service Provider's (PSP) back-end does not coincide with the referrer transmitted by the browser.	Either you don't enter anything under'Referrer', then no verification will occur, or you control the referrer again and pay attention to the protocol.
unknown order/0/s/	No SHA signature is transmitted.	You must define the signatures in the module and in the Payment Service Provider's back-end.
unknown order/0/x///FIN	An error has occurred in connection with XML requests.	If you have this problem please contact us.
unknown order/1/s/	The calculated hash values and the transmitted hash values do not coincide.	Either something has been incorrectly set up for the calculation method (global security parameter; not the same settings in the shop back-end as in the PSP's back-end); the signatures in the shop back-end do not coincide with those of the Payment Service Provider's back-end; or the PSP ID has not been entered identically as shown in the one of the PSP. The PSP ID is case sensitive.
unknown order/0/r/	The browser does not acknowledge your confirmation.	The problem lies within your browser.
unknown order/1/x/	A configuration in the Payment Service Provider's back-end is not allowed.	In this case please contact the merchant help of Payment Service Provider's.



Orders aren't registered

The problem arises with certain server configurations that the order isn't correctly processed after the payment process. This becomes evident especially in cases where, e.g. the shopping cart is not emptied after the order has been affected or no e-mail confirmation is sent out.

The reason for this is that the server blocks the appeal of the PSP server. This can be caused by your Firewall or also through server modules intending to avoid spamming on your website. It may be that the IP address of the Payment Service Provider server is being blocked. Furthermore, it is possible that the User Agent of the Payment Service Provider's server is being blocked.

If order to solve this problem you must make sure that your host configures the Firewal in cuch a manner that correspondingly coll that the son't blocking I hadding sees bill the Dayment bewice providing every will find the IP addresses in the back-end of your PSP under Support > FAQ > Integration. In order to avoid the blocking of the User Agent you must see with your host if my modules are installed which may block the User Agent. These must than be each to be a controlled to the User Agent.

Display Dynamic Template Autor: customweb GmbH

र्केट प्रिट्र भिन्न निर्मे problems with the display of the dynamic template this can have several causes.

Error description	Solutions
Template file isn't being loaded. The payment mask is Editaplsivedaivathablesigned the Callis PayEngine PrestaSh	This can have several reasons: op Installation Manual • Please make sure that the settings under 'Template' (cf. above, especially the protocol of the host-name) have been correctly configured. • The server of the Payment Service Provider is being blocked (cf. preceeding section).
CSS file isn't being loading.	Certain browsers prohibit the loading of CSS files from "untrusted" resources. A smooth usage of the dynamic template requires a SSL-certificate.
Missing Base-tag	If you are using the template function, it is possible that the CSS files and the pictures aren't loaded in the PSP's interface. The solution is to insert the base-tag at the beginning of the " <head>" tags in the template: </head>



Introduction to the Installation of ConCardis PayEngine

First of all, thank you very much for your purchase of the ConCardis PayEngine module and for having confidence in us.

Once you have the account details, you can log into the back-end under https://secure.payengine.de/.

Procedure

The usual procedure includes your receiving of the test-login details (recognisable due to the PSPID ending in TEST). The module should be tested extensively within this trial phase. If the tests were successful, you can directly contact ConCardis PayEngine and request the switch of your PSPID to going live. ConCardis PayEngine will then gladly take care of the rest for you. You will merely have to set your module to live processing. However, you will be confident to the processing of the rest for your will be confident to the processing of the test-login details (recognisable due to the PSPID ending in TEST).

As mentioned before, you must use your account details, which you have received from ConCardis PayEngine in order to log into https://secure.payengine.de/.

In order to be able to work with the module you have to change some settings in the administrator user interface under "Technical Information". In the following we will only mention those settings which are relevant for the interaction between the ConCardis PayEngine gateway and the module.

Global transaction parameter

For this paragraph you should read the comments for the respective options and fill it in according to your needs. These options have an influence on the handling of payments. They are relevant for the process of how to handle payments but not for the actual interaction between the shop and the ConCardis PayEngine API.

Before beginning with the configuration you must set a SHA-1-IN pass phrase. Please go to the section **Data and origin verification** further below and then return to **Global transaction parameters** and continue with the point Default operation code.

Default operation code

We recommend the option "sale", in that case all incoming payments will be processed and billed directly.

Payment retry

We recommend setting the counter to "10".

Processing for individual transactions

We recommend the option "Online but switch to offline when the online acquiring system is unavailable."

Default ECI value

We recommend choosing the value "7 - eCommerce with SSL-encryption".

Global security parameters

Here you can set the security parameters for the interaction between the shop and the gateway of ConCardis



PayEngine. It is important that you set the same configurations as in your shop module. You should set the sign encodings to UTF-8. You can not change this in the module. Furthermore, please pay attention towards the fact that SHA-256 or SHA-512 Hash-methods require at least PHP 5.1.2.

Hashing methods

We recommend choosing SHA-512 and UTF-8 encoding. Please pay attention to the fact that SHA-256 or SHA-512 Hash-methods require at least PHP 5.1.2.

Template

Tick "No" for the enabling of JavaScript.

The static template is not supported by our module. You must therefore tick "no" for the usage of static template.

Enter the host-name into the lower box, e.g. http://yourshop.com. The upper box should remain empty.

Data and origin verification

In this paragraph the data required for the verification of the origin of payments is determined. Only the field "Verifications for e-Commerce" is relevant. Do not enter anything under URL of the merchant page.

"SHA-1-IN pass phrase" is a security component of the payment which verifies its genuineness. It is, therefore, important that you use the same pass phrase in the back-end as in the shop. In order to generate an easy pass phrase we recommend you to use the Ogone SHA-1 pass phrase generator of customweb Ltd.

If the Direct Link option is activated for your account, you will have to enter the SHA-IN pass phrase for Direct Link. This pass phrase must be identical to the SHA-IN pass phrase for e-commerce!

Transaction feedback

The parameter of the transaction feedback defines the processing in the shop after the payment has been effected.

- Nothing has to be entered in the four boxes under "http-redirection in the browser as this is carried out by
- Leave the box "I would like to receive transaction feedback parameters..."
- Check the box "I would like the PSP to display..."

Direct HTTP-server-to-server request

Under "Direct HTTP-server-to-server request" we advise you to chose the settings listed below. Furthermore, you must enter the listed URL of the merchant page in both of the fields.

- •
- The request type must be set to "always online (directly after the payment...)"
- The **URL** of the merchant site to which the transaction feedback should be sent must be defined in both boxes. Please use the following URL:
 - If no SEO URLs are activ, please use this URL: https://www.your-shopurl.com/index.php?fc=module&module=payenginecw&controller=notification
 - In case you do have active SEO URLs, you require this URL:

https://www.your-shop-url.com/module/payenginecw/notification



Please make sure that you are using the correct protocol (https:// or http://)

• As request method you should use "POST"

Dynamic e-Commerce parameters

No changes have to be made

General

Tick both boxes

Security for request parameters

The box "SHA-1-OUT pass phrase" is a further security mechanism of the payment. Here too, the chosen signature must be identical to the one in the shop. Please make sure, however, that the SHA-1 OUT pass phrase is different from the SHA-1 IN. For this you may use our pass phrase generator

HTTP request for status changes

Chose the option "no request" and leave the box empty

Transactions e-mails

Here you can configure your e-mail settings. In general no configuration is needed for the standard usage. If you nevertheless want to change the configuration, we recommend the following settings:

- Yes for all transaction submission modes
- No

Create API be serfor the Hidden Authorisation Mode

A precondition for using the Hidden Authorisation or the Transaction Management are the OnePageCheckout (Alias Gateway) and the DirectLink option. In order to see if you have activated this, log into the back-end of your PSP and go to Account > Your options and search for One Page Checkout. If this option is not activated, please contact your PSP.

In order to use either of this options you will need:

- DirectLink: To use the integrated transaction management directly in your shop
- OnePageCheckout (Alias Gateway): To make use of the Hidden Authorisation

Ask you Payment Service Provider to activate this option.

In case you wish to use the Hidden Authorisation or the transaction management we recommend creating an API-user. Otherwise the password will have to be changed in the shop-admin every few weeks.

• In order to create a new user, log into your PSPs back-end and go to Configuration > Users > New User. Fill in all the required fields and then check the box 'Special User for API'.



- As profile, choose 'Admin without user management'
- Make sure that you have entered the SHA-IN pass phrase under Data and Origin Verification > Direct Link.
 The pass phrase must be identical to the SHA-In pass phrase for e-commerce

Transaction Management (Prestashop)

From version 2 onwards of our PrestaShop Module there is an extensive transaction management tool at your disposal. An overview over the transactions can be found directly in the corresponding order view under the tab 'Module' eohns to had attiend in the press hop (Presta Shop)

Once you have gone through all the settings in the administrator user interface then the next step is the installation of the module in the shop. If you are updating the module, please skip this passage and jump to "Updating the Module".

- 1. The download is automatically cleared once the payment has been effected, You will find the menu point "Download" on the right side under "Your account". Click on the desired order and download the module.
- 2. Extract the ZIP and copy the content of the folder "files" onto the server into the main directory of your shop (e.g. via FTP).

Configuration in the Shop

Configuration of the Main Module

- 1. Log into the back-end of your shop.
- 2. Search for the main module under Modules > Modules.
- 3. Install the module and configure it identically to the configuration in the back-end of your PSP!

Configuration of the Payment Methods

All offered payment methods can be found under Modules > Payments. Activate and configure the payment methods supported by your PSP-contract package.

Transaction Manager

If you wish to use the transaction manager tool integrated into PrestaShop you must make sure that you have activated the options Direct Link (New Payment) and Direct Link (Maintenance). You can find all information on this by logging into the back-end of your PSP and going to Account > Your options. If you do not see these two options is a payment to perform the product of the

In case you have already installed an older version of the module in your shop, it is absolutely crucial that you first **deactivate** the module in the back-end of your shop! **DO NOT UNINSTALL**, otherwise you will no longer have access to former orders.

After having deactivated the module, follow the instructions of the previous passage "Module Installation in the Shop".



Testing the Integration

Generally, you will first receive a test account (PSPID ends with "TEST"). With this test account you can try out the functionalities of the module. A test order is usually required before the account goes live.

Activate Live Mode

In the module-configuration you can switch from "live" to "test". Through this, the correct configuration for the test will automatically be used. You will find the test details in the back-end under technical information. Test-Info or in this document further below.

Please contact you Payment Service Provider. . It is important that you carry out this switch. Executed orders will be their interest of Data

In order to test the module, please go to http://www.sellxed.com/en/testing. All relevant test card data is listed the rors and Their Solutions

In the following passage you will find the various known problems and the solutions to them. In case you have a problem it is best to thoroughly read through the following chapters. If this does not help you, contact us and we will surely find a solution.

Error code	Error description	Solutions
unknown order/1/r	The registered referrer in the Payment Service Provider's (PSP) back-end does not coincide with the referrer transmitted by the browser.	Either you don't enter anything under'Referrer', then no verification will occur, or you control the referrer again and pay attention to the protocol.
unknown order/0/s/	No SHA signature is transmitted.	You must define the signatures in the module and in the Payment Service Provider's back-end.
unknown order/0/x///FIN	An error has occurred in connection with XML requests.	If you have this problem please contact us.
unknown order/1/s/	The calculated hash values and the transmitted hash values do not coincide.	Either something has been incorrectly set up for the calculation method (global security parameter; not the same settings in the shop back-end as in the PSP's back-end); the signatures in the shop back-end do not coincide with those of the Payment Service Provider's back-end; or the PSP ID has not been entered identically as shown in the one of the PSP. The PSP ID is case sensitive.
unknown order/0/r/	The browser does not acknowledge your confirmation.	The problem lies within your browser.
unknown order/1/x/	A configuration in the Payment Service Provider's back-end is not allowed.	In this case please contact the merchant help of Payment Service Provider's.



Introduction to the Installation of ConCardis Specification of the second se

First problem arises with vertain recyclic policiausations, a total paraller arises and affect to serve and a process. This becomes evident especially in cases where, e.g. the shopping cart is not emptied after the order has been affected or no e-mail confirmation is sent out.

Once you have the account details, you can log into the back-end under https://secure.payengine.de/

The reason for this is that the server blocks the appeal of the PSP server. This can be caused by your Firewall or also through server modules intending to avoid spamming on your website. It may be that the IP address of the Payment Service Provider server is being blocked. Furthermore, it is possible that the User Agent of the Payment

Service Provider's server is being blocked. The usual procedure includes your receiving of the test-login details (recognisable due to the PSPID ending in TEST).

The module should be tested extensively within this trial phase. If the tests were successful, you can directly in order to solve this problem you must make sure that your host configures the Firewall in such a manner that contact ConCardis PayEngine and request the switch of your PSPID to going live. ConCardis PayEngine will then correspondingly and that it doesn't block the Paddresses of the Payment Service Provider's server. You will find the gladly take care of the rest for you. You will merely have to set your module to live processing. However, you will be the addresses in the back-end of your PSP under Support > 100 km module to live processing. However, you will be the addresses in the back-end of your PSP under Support > 100 km module to live processing. However, you will be the processing the blocking on the blocking of the

ችምቡይብይብርህ የጀርባ you must use your account details, which you have received from ConCardis PayEngine in order to log into https://secure.payengine.de/.

Display Dynamic Template

In order to be able to work with the module you have to change some settings in the administrator user interface Interse"youthavalproblemstwith the displayowing duramicolary platetions translavetsing whatsers relevant for the interaction between the ConCardis PayEngine gateway and the module.

Error description Global transaction parameter

Template file isn't being loaded. The payment mask is

This can have several reasons:

Fdistheypdiagtapdegign អត់ជាមេ RSD the comments for the respective options and fill it in according to your needs. These options have an influence on the handling of payments. The lease all the that the less to 1950 will be a least of the least of th payments but not for the actual interaction between the shop and the content distrate inspectably the protocol of the host-name) have been correctly configured.

Before beginning with the configuration you must set a SHA-1-IN Thessethersef the Beygnerot the vieether battain and origin verification further below and then return to Global transaction blarameters parce clima ការខារ៉ាម៉ាលា the point Default operation code.

CSS file isn't being loading.

Default operation code

Certain browsers prohibit the loading of CSS files from "untrusted" resources. A smooth usage of the dynamic template requires a SSL-certificate.

Payment retry

We recommend setting the counter to "10".

We recommend the option "sale", in that case all incoming payments will be processed and billed directly.

Missing Base-tag

If you are using the template function, it is possible that the CSS files and the pictures aren't loaded in the PSP's interface. The solution is to insert the base-tag

at the beginning of the "<head>" tags in the template: <base href="http(s)://www.your-store.com/your-dir/"</pre>

Processing for individual transactions

We recommend the option "Online but switch to offline when the online acquiring system is unavailable."

Default ECI value

We recommend choosing the value "7 - eCommerce with SSL-encryption".

Global security parameters

Here you can set the security parameters for the interaction between the shop and the gateway of ConCardis PayEngine. It is important that you set the same configurations as in your shop module. You should set the sign



encodings to UTF-8. You can not change this in the module. Furthermore, please pay attention towards the fact that SHA-256 or SHA-512 Hash-methods require at least PHP 5.1.2.

Hashing methods

We recommend choosing SHA-512 and UTF-8 encoding. Please pay attention to the fact that SHA-256 or SHA-512 Hash-methods require at least PHP 5.1.2.

Template

Tick "No" for the enabling of JavaScript.

The static template is not supported by our module. You must therefore tick "no" for the usage of static template.

Enter the host-name into the lower box, e.g. http://yourshop.com. The upper box should remain empty.

Data and origin verification

In this paragraph the data required for the verification of the origin of payments is determined. Only the field "Verifications for e-Commerce" is relevant. Do not enter anything under URL of the merchant page.

"SHA-1-IN pass phrase" is a security component of the payment which verifies its genuineness. It is, therefore, important that you use the same pass phrase in the back-end as in the shop. In order to generate an easy pass phrase we recommend you to use the Ogone <u>SHA-1 pass phrase generator</u> of customweb Ltd.

If the Direct Link option is activated for your account, you will have to enter the SHA-IN pass phrase for Direct Link. This pass phrase must be identical to the SHA-IN pass phrase for e-commerce!

Transaction feedback

The parameter of the transaction feedback defines the processing in the shop after the payment has been effected.

- Nothing has to be entered in the four boxes under "http-redirection in the browser as this is carried out by our module.
- Leave the box "I would like to receive transaction feedback parameters..."
- Check the box "I would like the PSP to display..."

Direct HTTP-server-to-server request

Under "Direct HTTP-server-to-server request" we advise you to chose the settings listed below. Furthermore, you must enter the listed URL of the merchant page in both of the fields.

- •
- The request type must be set to "always online (directly after the payment...)"
- The **URL** of the merchant site to which the transaction feedback should be sent must be defined in both boxes. Please use the following URL:
 - If no SEO URLs are activ, please use this URL: https://www.your-shopurl.com/index.php?fc=module&module=payenginecw&controller=notification
 - In case you do have active SEO URLs, you require this URL:

https://www.your-shop-url.com/module/payenginecw/notification

Please make sure that you are using the correct protocol (https:// or http://)



• As request method you should use "POST"

Dynamic e-Commerce parameters

No changes have to be made

General

Tick both boxes

Security for request parameters

The box "SHA-1-OUT pass phrase" is a further security mechanism of the payment. Here too, the chosen signature must be identical to the one in the shop. Please make sure, however, that the SHA-1 OUT pass phrase is different from the SHA-1 IN. For this you may use our pass phrase generator

HTTP request for status changes

Chose the option "no request" and leave the box empty

Transactions e-mails

Here you can configure your e-mail settings. In general no configuration is needed for the standard usage. If you nevertheless want to change the configuration, we recommend the following settings:

- · Yes for all transaction submission modes
- No

Create AP Huser for the Hidden Authorisation Mode

A precondition for using the Hidden Authorisation or the Transaction Management are the OnePageCheckout (Alias Gateway) and the DirectLink option. In order to see if you have activated this, log into the back-end of your PSP and go to Account > Your options and search for One Page Checkout. If this option is not activated, please contact your PSP.

In order to use either of this options you will need:

- DirectLink: To use the integrated transaction management directly in your shop
- OnePageCheckout (Alias Gateway): To make use of the Hidden Authorisation

Ask you Payment Service Provider to activate this option.

In case you wish to use the Hidden Authorisation or the transaction management we recommend creating an API-user. Otherwise the password will have to be changed in the shop-admin every few weeks.

- In order to create a new user, log into your PSPs back-end and go to Configuration > Users > New User. Fill in all the required fields and then check the box 'Special User for API'.
- As profile, choose 'Admin without user management'
- Make sure that you have entered the SHA-IN pass phrase under Data and Origin Verifiication > Direct Link.



The pass phrase must be identical to the SHA-In pass phrase for e-commerce

Transaction Management (Prestashop)

From version 2 onwards of our PrestaShop Module there is an extensive transaction management tool at your disposal. An overview over the transactions can be found directly in the corresponding order view under the tab 'Module' entrepression (Presta Shop)

Once you have gone through all the settings in the administrator user interface then the next step is the installation of the module in the shop. If you are updating the module, please skip this passage and jump to "Updating the Module".

- 1. The download is automatically cleared once the payment has been effected, You will find the menu point "Download" on the right side under "Your account". Click on the desired order and download the module.
- 2. Extract the ZIP and copy the content of the folder "files" onto the server into the main directory of your shop (e.g. via FTP).

Configuration in the Shop

Configuration of the Main Module

- 1. Log into the back-end of your shop.
- 2. Search for the main module under Modules > Modules.
- 3. Install the module and configure it identically to the configuration in the back-end of your PSP!

Configuration of the Payment Methods

All offered payment methods can be found under Modules > Payments. Activate and configure the payment methods supported by your PSP-contract package.

Transaction Manager

If you wish to use the transaction manager tool integrated into PrestaShop you must make sure that you have activated the options Direct Link (New Payment) and Direct Link (Maintenance). You can find all information on this by logging into the back-end of your PSP and going to Account > Your options. If you do not see these two options

ป๒๔สŧe๛๙๚ฅฅModule

In case you have already installed an older version of the module in your shop, it is absolutely crucial that you first **deactivate** the module in the back-end of your shop! **DO NOT UNINSTALL**, otherwise you will no longer have access to former orders.

After having deactivated the module, follow the instructions of the previous passage "Module Installation in the Shop".



Testing the Integration

Generally, you will first receive a test account (PSPID ends with "TEST"). With this test account you can try out the functionalities of the module. A test order is usually required before the account goes live.

Activate Live Mode

In the module-configuration you can switch from "live" to "test". Through this, the correct configuration for the test will automatically be used. You will find the test details in the back-end under technical information. Test-Info or in this document further below.

Please contact you Payment Service Provider. . It is important that you carry out this switch. Executed orders will be their interest of Data

In order to test the module, please go to http://www.sellxed.com/en/testing. All relevant test card data is listed the rors and Their Solutions

In the following passage you will find the various known problems and the solutions to them. In case you have a problem it is best to thoroughly read through the following chapters. If this does not help you, contact us and we will surely find a solution.

Error code	Error description	Solutions
unknown order/1/r	The registered referrer in the Payment Service Provider's (PSP) back-end does not coincide with the referrer transmitted by the browser.	Either you don't enter anything under'Referrer', then no verification will occur, or you control the referrer again and pay attention to the protocol.
unknown order/0/s/	No SHA signature is transmitted.	You must define the signatures in the module and in the Payment Service Provider's back-end.
unknown order/0/x///FIN	An error has occurred in connection with XML requests.	If you have this problem please contact us.
unknown order/1/s/	The calculated hash values and the transmitted hash values do not coincide.	Either something has been incorrectly set up for the calculation method (global security parameter; not the same settings in the shop back-end as in the PSP's back-end); the signatures in the shop back-end do not coincide with those of the Payment Service Provider's back-end; or the PSP ID has not been entered identically as shown in the one of the PSP. The PSP ID is case sensitive.
unknown order/0/r/	The browser does not acknowledge your confirmation.	The problem lies within your browser.
unknown order/1/x/	A configuration in the Payment Service Provider's back-end is not allowed.	In this case please contact the merchant help of Payment Service Provider's.



Orders aren't registered

The problem arises with certain server configurations that the order isn't correctly processed after the payment process. This becomes evident especially in cases where, e.g. the shopping cart is not emptied after the order has been affected or no e-mail confirmation is sent out.

The reason for this is that the server blocks the appeal of the PSP server. This can be caused by your Firewall or also through server modules intending to avoid spamming on your website. It may be that the IP address of the Payment Service Provider server is being blocked. Furthermore, it is possible that the User Agent of the Payment Service Provider's server is being blocked.

In order to solve this problem you must make sure that your host configures the Firewall in such a manner that correspondingly and that it doesn't block the IP addresses of the Payment Service Provider's server. You will find the IP addresses in the back-end of your PSP under Support > FAQ > Integration. In order to avoid the blocking of the User Agent you must see with your host if any modules are installed which may block the User Agent. These must then be deactivated.

Display Dynamic Template

In case you have problems with the display of the dynamic template this can have several causes.

Error description	Solutions
Template file isn't being loaded. The payment mask is displayed in the design of the PSP.	This can have several reasons:
	 Please make sure that the settings under 'Template' (cf. above, especially the protocol of the host-name) have been correctly configured. The server of the Payment Service Provider is being blocked (cf. preceeding section).
CSS file isn't being loading.	Certain browsers prohibit the loading of CSS files from "untrusted" resources. A smooth usage of the dynamic template requires a SSL-certificate.
Missing Base-tag	If you are using the template function, it is possible that the CSS files and the pictures aren't loaded in the PSP's interface. The solution is to insert the base-tag at the beginning of the " <head>" tags in the template: </head>