

Installation Manual for DocData xt:Commerce

This manual describes the installation and usage of the DocData extension for xt:Commerce.

Release Date: Mon, 07 Aug 2023 14:01:06 +0200
Version: 3.0.195

wallee AG
General-Guisan-Strasse 47
CH-8400 Winterthur

E-Mail: info@sellxed.com

Telefon:

CH: +41 (0)44 505 13 60

DE: +49 (0)40 2999 60117

UK: +44 (0)161 850 6890

US: +1 (0)205 557 5869

© copyright by wallee AG Mon, 07 Aug 2023 14:01:06 +0200

####conditional####

Table of Contents

1	Introduction	5
1.1	Procedure of the installation	5
1.2	System Requirements	6
2	Configuration DocData - Backend	7
2.1	Configuration of the main module	7
2.2	Configuration of the payment methods	7
2.2.1	CSS ID	7
2.2.2	Payment Profile	8
2.3	Activation of the Cron Jobs	9
2.4	Testing and Activation of the Module	9
3	Module Installation and Update in the xt:Commerce Shop	10
3.1	Installation	10
3.2	Updates and Upgrades	10
3.2.1	Update Checklist	10
3.2.2	Update Instructions	11
4	Module Configuration in the xt:Commerce Shop	12
4.1	Base Module Configuration	12
4.1.1	Sending e-Mails for status updates	12
4.2	Payment Method Configuration	12
4.2.1	Choosing the Authorization Method	13
4.2.2	Payment Form Position	13
4.2.3	Capturing Orders Directly	13
4.2.4	Uncertain Status	13
4.2.5	Setting the Order Status	14
4.3	Direct Capturing of Transactions	14
4.4	Uncertain Status	14
4.4.1	Setting the order state	14
4.5	Stock Management in xt:Commerce 4 / 5	14
4.6	Optional: Validation	14
5	Settings / Configuration of Payment Methods	16
5.1	General Information About the Payment Methods	16
5.2	Information on Payment Status	16
5.2.1	Order status "pending" / imminent payment (or similar)	16
5.2.2	Order status "cancelled"	16

6	The Module in Action	17
6.1	Order Transaction Information	17
6.2	Transaction Table	18
6.3	Using Invoice Details of a Processor	19
6.3.1	xt:Commerce Order Confirmation (E-Mail)	19
6.3.2	xt:Commerce Invoice (PDF)	19
6.3.3	xt:Commerce-Backend (Transaction details)	19
6.3.4	xt:Commerce Success-Page	20
6.4	Initiating payments in the xt:Commerce backend	21
6.4.1	Refunding Orders	21
6.5	Capturing / Cancelling Orders	22
6.5.1	Capturing / Cancelling Orders	22
6.6	Setting up Cron Job	22
7	Testing	23
7.1	Test Data	23
8	Errors and their Solutions	25
8.1	The Referrer URL appears in my Analytics Tool	25
9	Error Logging	26
9.1	Log Levels	26
9.2	Log Location	26
10	Advanced Information	27
10.1	Transaction Object	27

1 Introduction

This manual describes the installation, the configuration and the usage of the payment module for xt:Commerce and DocData.

Before you can start with the installation please make sure that you hold all the necessary data. You need:

- DocData Merchant Name
- DocData Merchant Password
- xt:Commerce Payment module from sellxed.com/shop
- Login data to your server and shop

Note that you must use at least PHP version 5.6 for our plugins. PHP 8 or higher is currently not supported.

1.1 Procedure of the installation

With this document you'll get all the information you need for the installation of the module. For the implementation of the module you should follow the checklist strickly. Only like that you can ensure a safe usage in accordance to all security regulations.

1. Configuration of the [DocData Settings](#)
2. Configuration of the [main module](#)
3. Configuration of all the accepted [Payment method](#) with the authorization methods included
4. Process a test order
5. Activation of your DocData account

Installation Service

Our payment plugins should have per default the correct settings for most of our customers' preferences. That means once you have entered the required credentials in the plugin configuration to connect your account to your website, the plugin should be fully operational. Should you be willing to receive detailed information on a setting you do not know, you may contact our support team who will be able to assist you further.

Our support team is at your disposal during regular business hours at: <http://www.sellxed.com/support>. Furthermore, you have the option of ordering our installation service. We will make sure the plugin is installed correctly in your shop: <http://www.sellxed.com/shop/de/integration-und-installation.html>

.htaccess Directory Protection

In order to test the module, any kind of directory protection or IP blocking on your server must be deactivated. This is crucial as otherwise the payment feedback of DocData might not get through to the shop.

1.2 System Requirements

In general, the plugin has the same system requirements as xt:Commerce. Below you can find the most important requirements of the plugin:

- PHP Version: 5.4.x or higher
- OpenSSL: Current version with support for TLS 1.2 or higher.
- fsockopen: The PHP function fsockopen must be enabled. The plugin must be able to connect to external systems over the Internet.
- PHP Functions: All common PHP functions must be enabled.

2 Configuration DocData - Backend

You'll find an overview about transactions and settings in the backend from DocData:

- Test environment: <https://test.docdatapayments.com/ps/com.tripledeal.paymentsservice.backoffice.Login>
- Live environment: <https://backoffice.docdatapayments.com/ps/com.tripledeal.paymentsservice.backoffice.Login>

2.1 Configuration of the main module

Fill the merchant name and merchant password in the main configuration of the module. You can there additionally choose a default. The default CSS matches the deposited standard CSS configuration in DocData. You can overwrite these settings in the [configuration of the payment method](#).

Choose if you want to process the payments in live or test mode.

2.2 Configuration of the payment methods

You can undertake various adjustments for each payment method.

Please keep in mind that in case you want to use the Payment Method Bank Transfer or Open Invoice (Klarna and AfterPay) you need to activate the feature `extendedStatusRequests` at DocData.

2.2.1 CSS ID

Define for each payment method your CSS ID, which you have already set in the backend of DocData. You can define the CSS profile under **Settings > Edit Look and Feel**




Figure 2.1: Create CSS profiles under settings > Edit Look and Feel.

2.2.2 Payment Profile

With the payment profile you can select a payment method for the payment page. To do so you need to create a profile for each payment method in the backend of DocData.

Under **Edit > Payment method and names** you can create profiles and assign to every profile a payment method. Fill in the name of the profile into the configuration of the payment method. This results in the pre selected display of this payment method.

Assign payment methods to a profile

Select profile: AMEX Add & delete profiles

Available payment methods

AFTERPAY_OPEN_INVOICE
BANK_TRANSFER
EBANKING
ELV
IDEAL
MAESTRO
MASTERCARD
MISTERCASH
PAYPAL_EXPRESS_CHECKOUT
SEPA_DIRECT_DEBIT
VISA

Add >>

<< Remove

Selected

AMEX

↕ First

▲ Up

▼ Down

↕ Last

Store changes

Figure 2.1: Creation of payment profiles to select the payment method under Edit > Payment method and names.

You'll find more information to the configuration of the payment methods and the significance of the particular settings [here](#).

2.3 Activation of the Cron Jobs

Since the DocData doesn't send notification answers it can happen that the customer closes the window before finishing the transaction. In this case we recommend to install Cron Jobs in your shop. Further information you'll find in the chapter [Cron Job](#)

2.4 Testing and Activation of the Module

After the activation and configuration of the payment methods, test your module with the [test data](#) you find in the manual. If the tests were successful, switch to **Live** in your main module.

3 Module Installation and Update in the xt: Commerce Shop

3.1 Installation

At this time you should already be in possession of the module. Should this not be the case, you can download the necessary files in your customer account in the [sellxed shop](#) (Menu "My Downloads Downloads"). In order to install the module in your shop, please carry out the following steps:

1. Download the plugin. The download can be found in your sellxed.com account under "My Downloads".
2. Unzip the archive you have just downloaded.
3. In the unzipped folder navigate to the folder "files"
4. For some shops there are different versions of the plugin provided. If this is the case open the folder which corresponds to your shop version.
5. Using your preferred FTP client upload **entire content** of this folder into the root directory of your shop. For some shops there is a specific folder containing the plugins. If that is the case upload the plugin into this folder. Make sure that the folders aren't replaced but merely merged.
6. If you haven't yet done so, log back into your shop.

3.2 Updates and Upgrades

You have direct and unlimited access to updates and upgrades during the duration of your support contract. In order to receive constant information about available updates we ask you to subscribe to our RSS feed that we publish for your module.

More information regarding the subscription of this RSS feed can be found under: http://www.sellxed.com/en/updates_upgrades.

We only recommend an update if something doesn't work in your shop, if you want to use new feature or if there is a necessary security update.

3.2.1 Update Checklist

We ask you to strictly comply with the checklist below when doing an update:

1. Always do a backup for your database and your files in your shop
2. Use always a test system to test the update process.
3. Wait until all the files are copied to the shop, clear the cache if there is one in your shop and then visit the configuration page of the main module so that the update process will be initialized.

Do not do updates directly in the live environment

Please test the update procedure first in your test shop. Our support team is able and willing to help you if you experience problems with the update process. However, if you decide to perform the update directly in your live shop there is the possibility of a downtime of the shop of more than two days depending on the availability of our support if you do not want to book our [complementary support](#).

Depending on the version it could be that the database has to be migrated. We recommend you therefore, to perform the updates in times when the shop is not visited too frequently by your customers.

3.2.2 Update Instructions

Please always read the update instruction. Those instructions can be found in the changelog. If there are no special remarks, you can proceed by just overwriting the files in your system.

4 Module Configuration in the xt:Commerce Shop

The configuration consists of two steps. The first step is the configuration of the main module with all the basic settings (cf. [Configuration of the Main Module](#)). During the second step you can then carry out individual configurations for each [payment method](#). This allows for full flexibility and perfect adaptation to your processes.

Create backups!

Please create a backup of the main directory of your shop. In case of problems you will then always be able to return your shop to its original state.

We furthermore recommend testing the integration on a test system. Complications may arise with third party modules installed by you. In case of questions, our support is gladly at your disposal.

4.1 Base Module Configuration

The settings for the Base Module can be found in **"Content > Plugin > deinstalled plugins > DocData Base Module"**. To install the module, click 'install'. A new window should open now. Next, click F5 in your browser in order to reload all Java Script data of the modules and then return to the location of the installed plugins.

The settings of the module can be opened by clicking on the pen. Enter the options that you set in the administration surface of DocData. If an option is unclear, a click on the question mark will show more information. The central settings will be explained.

4.1.1 Sending e-Mails for status updates

Mark every status that you want to trigger an e-Mail to the customer if his order was set to this status.

4.2 Payment Method Configuration

After the Basic Module was configured successfully, the payment method settings for your shop can be found under Settings >. Every method is listed separately. Activate the desired payment methods by selecting them and clicking **Activate Selection**.

With a click on the pen, a new window for the settings will open. Most settings are self-explanatory. A click on the question mark shows additional information.

4.2.1 Choosing the Authorization Method

You can choose between several display options for the authorization of card payments. The option Authorization Method determines, which payment methods you would like to process.

For further information on the different authorization methods, visit our [sellxed Website](#).

4.2.2 Payment Form Position

If you have the corresponding package of DocData, the payment information can be entered directly in your shop. The setting **Page for Payment Form** adjusts the position of the payment form

Payment Processing

Please bear in mind that additional options with DocData have to be enabled in order to use some of the payment processing methods.

Some authorization methods might not be available for every payment method.

4.2.3 Capturing Orders Directly

The option "Capturing" determines whether payments should be captured directly or if they should be authorized before. If you only want to authorize as a first step, ensure that the payments are issued later.

Depending on your Acquiring Contract, a reservation is guaranteed for a limited time only. If you are not capturing within this time, the authorization might not be guaranteed. Further information on the process of capturing is provided below.

Varying Settings between DocData - backend and module

The settings in the payment method module might overwrite your settings in the DocData backend.

4.2.4 Uncertain Status

You can mark orders without a 3D Secure Verification or other security mechanism failures. This allows you to examine the order manually before the shipment.

4.2.5 Setting the Order Status

You can determine which status the order should have for every payment method. This refers to the initial order status.

4.3 Direct Capturing of Transactions

The option "Capture" allows you to specify if you wish to debit payments directly or if you first wish to authorise them and then debit the payment at a later point.

Depending on your acquiring contract, a reservation is only guaranteed for a specific period of time. Should you fail to debit the payment within that period, the authorisation may therefore no longer be guaranteed. Further information on this process can be found below.

Different settings between DocData and the module

It may be that settings saved in the payment modules overwrite settings saved in DocData.

4.4 Uncertain Status

You can specifically label orders for which the money is not guaranteed to be received. This allows you to manually control the order before shipment.

4.4.1 Setting the order state

For each payment method you may select in which state the order should be set to depending on the booking state. This is the initial state of the order.

4.5 Stock Management in xt:Commerce 4 / 5

Since the 19.05.2017 we changed the way we handle the stock implementation in xt:Commerce 4 / 5. Products will now automatically be restocked when the status of the order is changed to failed. The status of the order is automatically changed to failed if the customer does click on the cancel button on the payment page. However if he uses the back button in the browser we can not determine the status of the order. In this case you have to manually cancel the order to restock the items.

Please note the stock will automatically be increased if you switch an order into the failed state.

4.6 Optional: Validation

Note: It can be that this option is not visible in your module. In this case just ignore this section.

With the option 'Validation' you can define the moment when the payment method should be made visible to the customer during the checkout process. This setting is relevant for modules

where the usage depends on the customer's compliance with specific preconditions. For example, if a solvency check has to be carried out or if the payment method is only available in certain countries. In order for the credit check or address validation to also work with European characters, the charset of the "Blowfish mode" must be set to "UTF-8" for certain PSP settings.

You have the choice between these options:

- **Validation before the selection of the payment method:** A validation verification is carried out before the customer selects the payment method. If the customer does not fulfill the requirements, the payment method is not displayed
- **Validation after selection of the payment method:** The verification of the compliance occurs after the selection of the payment method and before the confirmation of the order
- **During the authorisation:** The validation verification is carried out by DocData during the authorisation process. The payment method is displayed in any case

5 Settings / Configuration of Payment Methods

5.1 General Information About the Payment Methods

The plugin contains the most common payment methods. In case a desired payment method is not included per default, please contact us directly.

In order to be able to use a payment method, it must be activated in your account with DocData as well as in your shop. Information about the configuration of the payment methods can be found further above.

Below you can find important information for specific payment methods that deviate from the standard process.

5.2 Information on Payment Status

For each payment method you can define an initial payment status (status for authorized payments etc.). You hereby define the payment status for each state depending on the processing type of the order (captured, authorized, etc.). It's the initial status which the order assumes. Depending on the mutation carried out by you, the status can change.

Important info regarding Order Status

Never set the status to **Pending DocData** or any similar pending status which is implemented by the module.

5.2.1 Order status "pending" / imminent payment (or similar)

Orders with the status 'pending DocData' are pending orders. Orders are set to that status if a customer is redirected in order to pay but hasn't returned successfully or the feedback hasn't reached your shop yet (Customer closed window on the payment page and didn't complete payment). Depending on the payment method these orders will automatically be transformed into cancelled orders and the inventory will be cleared (so long as the Cronjob is activated). How long this takes depends on the characteristics of the payment method and cannot be configured.

If you have a lot of pending orders it usually means that the notifications from your webserver to DocData are being blocked. In this case check the settings of your firewall and ask the Hoster to activate the IPs and User Agents of DocData.

5.2.2 Order status "cancelled"

Orders with the status "cancelled" have either been set to that status automatically due to a timeout, as described above, or have been cancelled directly by the customer.

6 The Module in Action

Below you will find an overview of the most important features in the daily usage of the DocData module.

Transaction Information	
Transaction ID	33
Transaction External ID	17_33
Authorization Status	successful
Order ID	17
Created On	2014-05-17T15:09:25+02:00
Updated On	2014-05-17T15:09:37+02:00
Customer ID	2
Zahlungsid	31411549
Autorisierungsbetrag	100
Währung	CHF
Zahlungsmethode	MasterCard
Zahlungsid	31411549
Verbuchter Betrag	100
Transaktion autorisiert	Ja
Transaktion ist unsicher	Nein
Transaktion verbucht	Ja
Transaktion bezahlt	Ja
Alias	XXXXXXXXXXXX0007 (05/17)
Alias Token	_xtc_4_17_330007
Akzeptanz	
Kartenummer	XXXXXXXXXXXX0007
Kartenablaufdatum	05/17
Händler Referenz	demo_sx_ps_xtc_4_17_33

Figure 6.1: Transaction Information.

6.1 Order Transaction Information

In each order processed by our module, you can view all important information on the transaction. For instance, this feature allows you to match the orders to the transactions visible in the DocData backend.

To view this information, open the orders. At the bottom of the order you will find the paragraph **DocData Transactions**. This shows all details on all former actions related to this order. Click on the key in the column "Action" to see the transaction information (c.f. image "Transaction Information").

Transactions				
Transaction ID	Datum	Status	Amount	Action
32	2014-05-17T15:06:08+02:00	pending	100.00	
33	2014-05-17T15:09:25+02:00	successful	100.00	

Figure 6.1: Transaction Overview

Dashboard | xt:Commerce Payments Registration | installierte Plugins | Zahlungsweise | PostFinance Transak

Aktion ▾

Neu Laden

Transaction ID	Externe ID	Order ID	Zahlungsmet...	Änderungsda...	Zahlungsid	Autorisierung...	Au
33	17_33	17	mastercard	05/17/2014	31411549	100.00000	su
32	17_32	17	mastercard	05/17/2014		100.00000	pe
31	16_31	16	postfinanceef...	05/11/2014		50.00000	pe
30	16_30	16	postfinanceef...	05/12/2014		50.00000	fai
29	15_29	15	creditcard	04/22/2014	30860419	150.00000	su
28	14_28	14	postfinanceef...	04/22/2014	30860413	100.00000	su
27	13_27	13	creditcard	04/22/2014	30860400	330.00000	su
26	12_26	12	postfinanceef...	04/17/2014	30785914	70.00000	su
25	11_25	11	creditcard	04/17/2014	30785907	50.00000	su
24	11_24	11	creditcard	04/17/2014		50.00000	pe
23	10_23	10	creditcard	04/17/2014	30785876	250.00000	su
22	10_22	10		04/17/2014			
21	10_21	10	creditcard	04/17/2014		250.00000	fai
20	10_20	10		04/17/2014			
19	10_19	10	creditcard	04/17/2014		250.00000	fai
18	10_18	10		04/17/2014			
17	10_17	10	creditcard	04/17/2014		250.00000	fai
16	9_16	9	postfinanceef...	04/16/2014	30766475	50.00000	su
15	9_15	9	postfinanceef...	04/16/2014		50.00000	pe
14	9_14	9	postfinanceef...	04/16/2014	30766459	50.00000	fai
13	8_13	8	postfinanceec...	04/16/2014	30766433	70.00000	su
12	7_12	7	postfinanceef...	04/16/2014	30766421	50.00000	su
11	6_11	6	creditcard	04/16/2014	30766406	50.00000	su
10	5_10	5	creditcard	04/16/2014	30766403	100.00000	su
9	4_9	4	postfinanceef...	04/16/2014	30765947	50.00000	su

Figure 6.1: Transaction Information

6.2 Transaction Table

In addition to information on the order, the transaction table shows information on the transactions in your shop. Among other things, it allows you to match the DocData transaction number to the order in your shop.

Dashboard xt:Commerce Payments Registration installierte Plugins Zahlungsweise PostFinance Transaktionen									
Aktion									
Neu Laden									
Transaction ID	Externe ID	Order ID	Zahlungsmet...	Änderungsda...	Zahlungsid	Autorisierung...	Autorisierung...	Bezahlt	V Actions
33	17_33	17	mastercard	05/17/2014	31411549	100.00000	successful	y	C
32	17_32	17	mastercard	05/17/2014		100.00000	pending	n	C
31	16_31	16	postfinanceef...	05/11/2014		50.00000	pending	n	C
30	16_30	16	postfinanceef...	05/12/2014		50.00000	failed	n	C
29	15_29	15	creditcard	04/22/2014	30860419	150.00000	successful	y	C
28	14_28	14	postfinanceef...	04/22/2014	30860413	100.00000	successful	y	C
27	13_27	13	creditcard	04/22/2014	30860400	330.00000	successful	y	C
26	12_26	12	postfinanceef...	04/17/2014	30785914	70.00000	successful	y	C
25	11_25	11	creditcard	04/17/2014	30785907	50.00000	successful	y	C
24	11_24	11	creditcard	04/17/2014		50.00000	pending	n	C
23	10_23	10	creditcard	04/17/2014	30785876	250.00000	successful	y	C
22	10_22	10		04/17/2014				y	C
21	10_21	10	creditcard	04/17/2014		250.00000	failed	n	C
20	10_20	10		04/17/2014				y	C
19	10_19	10	creditcard	04/17/2014		250.00000	failed	n	C
18	10_18	10		04/17/2014				y	C
17	10_17	10	creditcard	04/17/2014		250.00000	failed	n	C
16	9_16	9	postfinanceef...	04/16/2014	30766475	50.00000	successful	y	C
15	9_15	9	postfinanceef...	04/16/2014		50.00000	pending	n	C
14	9_14	9	postfinanceef...	04/16/2014	30766459	50.00000	failed	n	C
13	8_13	8	postfinanceef...	04/16/2014	30766433	70.00000	successful	y	C
12	7_12	7	postfinanceef...	04/16/2014	30766421	50.00000	successful	y	C
11	6_11	6	creditcard	04/16/2014	30766406	50.00000	successful	y	C
10	5_10	5	creditcard	04/16/2014	30766403	100.00000	successful	y	C
9	4_9	4	postfinanceef...	04/16/2014	30765947	50.00000	successful	y	C

Figure 6.1: Transaction Information.

6.3 Using Invoice Details of a Processor

In the following context you can view or embed the "payment details" of for example an "Open Invoice" transaction:

6.3.1 xt:Commerce Order Confirmation (E-Mail)

The "payment information" will be visible in the default "order confirmation e-mail" of xt:Commerce.

6.3.2 xt:Commerce Invoice (PDF)

Due to technical limitations, it is currently not possible to display the "payment information" here.

6.3.3 xt:Commerce-Backend (Transaction details)

You can view the transaction details in xt:Commerce under **Administer Orders > DocData Transactions**.

Transaktions-Information

Transaktions-ID	1
Externe Transaktions-ID	1_1
Autorisierungsstatus	successful
Bestell-ID	1
Erstellt am	2017-03-07T15:49:33+01:00
Aktualisiert am	2017-03-07T15:49:46+01:00
Kunden ID	1
Zahlungs-ID	3575408
Autorisierungsbetrag	65.45
Währung	EUR
Zahlungsmethode	Open Invoice
Zahlungs-ID	3575408
Testtransaktion	Ja
Transaktion autorisiert	Ja
Transaktion ist unsicher	Nein
Transaktion bezahlt	Ja

Bank: Customweb Test Bank
Kontoinhaber: Customweb GmbH
IBAN: DE1201200000000000000005
BIC: TESTBIC0001
Referenznummer: BP3575408/2749

Transaktionsübersicht

Datum	Aktion	Nachricht
2017-03-07T15:49:46+01:00	authorization	Der Betrag von '65.45' wurde autorisiert.

Kundeninformationen

Rechnungsadresse	Lieferadresse
André Müller Schöneggstrasse 2 DE-80040 Zürich Geburtsdatum: 1990-01-13 Telefon: 2345678	André Müller Schöneggstrasse 2 DE-80040 Zürich Geburtsdatum: 1990-01-13 Telefon: 2345678

Produkte

Name	SKU	Menge	Typ	MwSt.	Betrag (exkl. VAT)	Betrag (inkl. VAT)
Standardartikel	art001	1.00	product	19%	50 EUR	59.5 EUR
Standard	Standard	1.00	shipping	19%	5 EUR	5.95 EUR

Zusammengehörige Transaktionen

Transaktionsnummer	Status	Autorisierungsbetrag
1_1	successful	65.45

Figure 6.1: Transaction details within xt:Commerce.

6.3.4 xt:Commerce Success-Page

OXID eShop Deutsch EUR Mein Konto

[Startseite](#) [Kiteboarding](#) [Wakeboarding](#) [Bekleidung](#) [Angebote](#) [Downloads](#)

Sie sind hier: / [Bestellung abgeschlossen](#)

1. Warenkorbübersicht
2. Adressen wählen
3. Versand & Zahlungsart
4. überprüfen & absenden
5. Fertig!

Vielen Dank

Vielen Dank für Ihre Bestellung im OXID eShop 4.
Ihre Bestellung ist unter der Nummer 7 bei uns registriert.
Sie haben bereits eine Bestellbestätigung per E-Mail erhalten.

Sollte etwas nicht lieferbar sein, werden wir Sie sofort informieren.

Ihre Zahlungsinformationen

Bank: Customweb Test Bank
Kontoinhaber: Customweb GmbH
IBAN: DE2501200000000000000005
BIC: TESTBIC0005
Referenznummer: BP3575603/2749

Sie können nun weiter zur Startseite oder Ihre Bestellhistorie aufrufen.

Figure 6.1: Payment information on the xt:Commerce "Success-Page".

6.4 Initiating payments in the xt:Commerce backend

The xt:Commerce payment module allows you to initiate a payment directly from the shop, the so called Mail Order / Telephone Order (MOTO). This feature requires an additional module. After installing the plugin, you can set up four orders in the DocData administration surface. When opening the order now, you can add a transaction to this order by clicking on **Add Moto Transaction** on the bottom right. The transaction will be forwarded to DocData directly.

6.4.1 Refunding Orders

In order to issue a refund, open the transaction information (c.f. above). This shows all information on the transaction. With a click on "Refund", an input mask for credit notes will open. By clicking **Refund**, the refund request is transmitted to DocData.

REFUND

Refund

Name	SKU	Type	Tax Rate	Quantity	Total Amount (excl. Tax)	Total Amount
Standardartikel	art001	product	0 %	1.00	50.00	50.00
Artikel mit Sonderpreis	art002	product	0 %	1.00	70.00	70.00
Total Refund Amount:						120.00 CHF

Close transaction for further refunds

Schliessen

Figure 6.1: refund button

Executing a refund will not change the status of the order.

6.5 Capturing / Cancelling Orders

Please note:

The transaction management between DocData and your shop is not synchronised. When you register payments with DocData, the status in the shop is not adjusted and the order cannot be captured in the shop again.

6.5.1 Capturing / Cancelling Orders

To capture orders, open the transaction information (c.f. above). This will show you all information on the transaction. With a click on "Capture" (top right), the order is forwarded to DocData. You do not have to log in to the DocData backend. You can enter the products you would like to capture in the input mask.

By clicking "Cancel" the transaction is cancelled and the reserved amount is cleared on the customer's card immediately.

The screenshot shows a 'CAPTURE' dialog box with the following data:

Name	SKU	Type	Tax Rate	Quantity	Total Amount (excl. Tax)	Total Amount (incl. Tax)
Standardartikel	art001	product	0 %	1.00	50.00	50.00
Artikel mit Sonderpreis	art002	product	0 %	1.00	70.00	70.00
Standard	Standard	shipping	0 %	1.00	0.00	0.00
Total Capture Amount:						120.00 CHF

Close transaction for further captures

Buttons: Capture, Schliessen

Figure 6.1: Capturing Transactions

6.6 Setting up Cron Job

To activate the time-controlled plug-in functions (e.g. Update Service, deleting pendant orders, etc.), follow the DocData instructions for the set up of Cron Job.

7 Testing

Before switching from test to live mode it is important that you test the module extensively.

Testing

Do not forget to switch the operating mode from test to live after having successfully tested the module.

7.1 Test Data

In the following section you can find the test data for the various payment methods:

Credit / Debit Card

VISA

Card number 4111 1111 1111 1111
 Expiry Date 03/2027
 Name Hans Muster
 CID 333
 3D-Secure ECI = 5

VISA

Mastercard

Card number 5100 0000 0000 0008
 Expiry Date 03/2027
 Name Hans Muster
 CID 333
 3D-Secure ECI = 2

Mastercard

American Express

Card number 3411 1111 1111 111
 Expiry Date 03/2027
 Name Hans Muster
 CID 2234

American Express

Maestro

Card number 6703 0500 0340 17105
 Expiry Date 09/2022
 Name Hans Muster
 CID 333
 3D-Secure ECI = 2

Maestro

Bancontact Mister Cash

Card number 6703 0500 0340 53002
 Expiry Date 09/2022
 Name Hans Muster
 CID 333

Bancontact Mister Cash

MasterCard

Mastercard		Mastercard
Card number	5100 0000 0000 0008	
Expiry Date	03/2027	
Name	Hans Muster	
CID	333	
3D-Secure	ECI = 2	

Maestro		Maestro
Maestro		
Card number	6703 0500 0340 17105	
Expiry Date	09/2022	
Name	Hans Muster	
CID	333	
3D-Secure	ECI = 2	

Visa		VISA
VISA		
Card number	4111 1111 1111 1111	
Expiry Date	03/2027	
Name	Hans Muster	
CID	333	
3D-Secure	ECI = 5	

American Express		American Express
American Express		
Card number	3411 1111 1111 111	
Expiry Date	03/2027	
Name	Hans Muster	
CID	2234	

Bancontact		Bancontact Mister Cash
Bancontact Mister Cash		
Card number	6703 0500 0340 53002	
Expiry Date	09/2022	
Name	Hans Muster	
CID	333	

8 Errors and their Solutions

You can find detailed information under <http://www.sellxed.com/en/faq>. Should you not be able to solve your problem with the provided information, please contact us directly under: <http://www.sellxed.com/en/support>

8.1 The Referrer URL appears in my Analytics Tool

When a customer and the notification are redirected via Header Redirection, the DocData Referrer URL might appear in your Analytics Tool thus hiding the original traffic source. However, most Analytic Tools are able to minimize this problem.

In case you are using Google Analytics as reporting tool, this step by step guide may help you to exclude the URLs: [under bullet point 4](#).

9 Error Logging

The module will log different unexpected errors or information depending on the configured level. If there is any issue with the module, this log can help identify the cause.

9.1 Log Levels

You can configure the log level in the DocData settings.

- Error: Logs unexpected errors only. (Default)
- Info: Logs extended information.
- Debug: Logs information helpful for debugging.

9.2 Log Location

The log file is stored in the xt:Commerce log directory. Please make sure the path exists and it is writable by the webserver. (Default Path: {shopRootDirectory}/xtLogs/)

10 Advanced Information

This section of the manual is for advanced usage of the module. The content is for advanced users with special requirements. Everything in this section is optional and not required for the daily usage of the module.

10.1 Transaction Object

This section describes how to extract information from a transaction, if you need it for further processing. E.g. you require more information of the transaction for further processing an order in your ERP system.

The code snippets in this section assume your script resides in the root folder of the shop with the default shop folder structure.

Have xt:Commerce initialized in your script, this is required for the database connection.

```
$root_dir = dirname(__FILE__).' /';  
define('_VALID_CALL', 'true');  
define('_SRV_WEBROOT', $root_dir);
```

```
include _SRV_WEBROOT.'conf/debug.php';  
include _SRV_WEBROOT.'conf/config.php';
```

```
include _SRV_WEBROOT.'conf/database.php';  
include _SRV_WEBROOT.'conf/paths.php';  
include _SRV_WEBROOT._SRV_WEB_FRAMEWORK.'function_handler.php';  
include _SRV_WEBROOT._SRV_WEB_FRAMEWORK.'database_handler.php';
```

Include the module main file and module classes.

```
require_once 'plugins/docdatacw/init.php';  
require_once 'plugins/docdatacw/lib/DocDataCw/Util.php';
```

Now you can load the transaction and then extract the transactionObject.

Load the transaction by Id:

```
$transactionById = DocDataCw_Entity_Util::loadTransaction($transactionId);  
$transactionObject = $transactionById->getTransactionObject();
```