

Installation Manual for TWINT OXID

This manual describes the installation and usage of the TWINT extension for OXID.

Release Date: Mon, 07 Aug 2023 14:01:06 +0200
Version: 3.0.138

wallee AG
General-Guisan-Strasse 47
CH-8400 Winterthur

E-Mail: info@sellxed.com

Telefon:

CH: +41 (0)44 505 13 60

DE: +49 (0)40 2999 60117

UK: +44 (0)161 850 6890

US: +1 (0)205 557 5869

© copyright by wallee AG Mon, 07 Aug 2023 14:01:06 +0200

#####conditional#####

Table of Contents

1	Introduction	5
1.1	Installation Process	5
1.2	System Requirements	5
2	Configuration of the TWINT - Dealer Portal	7
2.1	Certificate and UUID of your Store Download	7
2.1.1	Entering the SystemID	7
2.1.2	Converting the Certificates	8
2.1.3	Time Out Settings	8
2.2	Configuration of the Payment Methods	8
3	Module Installation and Update in the OXID Shop	9
3.1	Installation	9
3.2	Updates and Upgrades	9
3.2.1	Update Checklist	9
3.2.2	Update Instructions	10
4	Module Configuration in the OXID Shop	11
4.1	Configuration of the Main Module	11
4.1.1	Settings	11
4.1.2	OXID 6 Installation	12
4.2	Configuration of the Payment Module	13
4.3	Direct Capturing of Transactions	13
4.4	Uncertain Status	13
4.4.1	Setting the order state	13
4.5	Optional: Validation	14
5	Settings / Configuration of Payment Methods	15
5.1	General Information About the Payment Methods	15
5.2	Information on Payment Status	15
5.2.1	Order status "pending" / imminent payment (or similar)	15
5.2.2	Order status "cancelled"	15
6	The Module in Action	16
6.1	Useful Transaction Information on the Order	16
6.2	Refunds	16
6.2.1	Refund Based on Quantity	17
6.2.2	Refunding Customized Amounts	18

6.2.3	Deducting a Processing Fee for Refunds	18
6.3	Capturing / Cancelling of Orders	18
6.3.1	Capturing Orders	19
6.3.2	Cancelling Orders	19
6.4	Refunding Orders	19
6.5	Setup a Cron Job to Activate the Timed Operations	20
7	Testing	21
7.1	Test Data	21
7.2	Testing with TWINT	21
8	Errors and their Solutions	22
8.1	The Referrer URL appears in my Analytics Tool	22
9	Compatibility with Third-Party Plugins	23
9.1	Birthday and gender in OXID	23
10	Error Logging	24
10.1	Log Levels	24
10.2	Log Location	24
11	Advanced Information	25
11.1	Transaction Object	25

1 Introduction

This manual describes how to install, configure and use the payment module for OXID and TWINT.

Before you begin with the installation make sure you have all of the necessary data. You will need:

- TWINT UUID of your shop
- TWINT Certificate Password (created by you)
- TWINT Certificate
- OXID Payment module from sellxed.com/shop
- Login data to your Server and Shop

Note that you must use at least PHP version 5.6 for our plugins. PHP 8 or higher is currently not supported.

1.1 Installation Process

This document contains all information necessary to install the module. Strictly follow the steps on the check list when setting up the module. This is the only way to ensure a safe usage in compliance with all security regulations.

1. Before beginning with the installation you will need to register in the TWINT dealer portal
2. Configuration of the [Main Module](#)
3. Configuration of the accepted [payment methods](#) and the respective authorization methods
4. Conducting a test order

Installation Service

Our payment plugins should have per default the correct settings for most of our customers' preferences. That means once you have entered the required credentials in the plugin configuration to connect your account to your website, the plugin should be fully operational. Should you be willing to receive detailed information on a setting you do not know, you may contact our support team who will be able to assist you further.

Our support team is at your disposal during regular business hours at: <http://www.sellxed.com/support>. Furthermore, you have the option of ordering our installation service. We will make sure the plugin is installed correctly in your shop: <http://www.sellxed.com/shop/de/integration-und-installation.html>

1.2 System Requirements

In general, the plugin has the same system requirements as OXID. Below you can find the most important requirements of the plugin:

- PHP Version: 5.4.x or higher
- OpenSSL: Current version with support for TLS 1.2 or higher.
- fsockopen: The PHP function fsockopen must be enabled. The plugin must be able to connect to external systems over the Internet.
- PHP Functions: All common PHP functions must be enabled.

2 Configuration of the TWINT - Dealer Portal

2.1 Certificate and UUID of your Store Download

You will receive the necessary access data directly in the dealer portal of TWINT. Log in to the corresponding location in the [TWINT Dealer Portal](#).

What steps do you need to take for TWINT?

1. First you need to register in the dealer portal
2. Set up an online shop configuration. In case you would like to order an installation service, transmit the certificate as well as the certificate password which you will have created in the process of setting up your store, to customweb.

For further information and frequently asked questions please visit www.twint.ch

2.1.1 Entering the SystemID

You will receive the **TWINT UUID** in the initial email from TWINT. It is important that you save the UUID as we need it to set up your account. Copy the TWINT UUID and paste it into the corresponding location in the [Main Module](#).

2.1.2 Converting the Certificates

The **certificate** will be retrieved and ordered automatically during the process of creating your store in the dealer portal of TWINT. If you have forgotten your certificate password or are having problems with generating the certificate please contact TWINT directly.

You will need to convert the certificate into a .pem file first. To do so you can use a service (but we strongly advise against it as you should not pass along your certification password to anyone except customweb).

You may want to use **openssl** to convert the certificates. Openssl is preinstalled on most unix based systems. On Windows it can be installed. The conversion can be done as following *openssl pkcs12 -in certificate.pfx -out certificate.pem*.

As soon as you are in possession of the .pem certificate, copy the complete content of the .pem file (certificate incl. -----BEGIN CERTIFICATE----- and -----END RSA PRIVATE KEY-----) into the text field.

Make sure you don't forget to also fill in the password into the main module.

Which steps do you need to take for TWINT?

If you have ordered the integration service you will need to transmit the certificate which you created above to customweb.

2.1.3 Time Out Settings

Technically, TWINT does not send payment notifications to your shop. The server pulls the result of the transaction periodically. In order for this to work you need to have set the Server Polling Time Out. However the standard values shouldn't be altered. Make sure that you have set up the [Cron Job](#) in your module. You will find more information in the manual further down.

2.2 Configuration of the Payment Methods

The payment method TWINT will also be delivered in the module. You will find it in the configuration of the payment methods in your shop. Activate this payment method in order for it to be available for your customers in your shop.

Further information regarding the configuration of the payment methods and the implementation of the different settings can be found [here](#).

3 Module Installation and Update in the OXID Shop

3.1 Installation

At this time you should already be in possession of the module. Should this not be the case, you can download the necessary files in your customer account in the [sellxed shop](#) (Menu "My Downloads Downloads"). In order to install the module in your shop, please carry out the following steps:

1. Download the plugin. The download can be found in your sellxed.com account under "My Downloads".
2. Unzip the archive you have just downloaded.
3. In the unzipped folder navigate to the folder "files"
4. For some shops there are different versions of the plugin provided. If this is the case open the folder which corresponds to your shop version.
5. Using your preferred FTP client upload **entire content** of this folder into the root directory of your shop. For some shops there is a specific folder containing the plugins. If that is the case upload the plugin into this folder. Make sure that the folders aren't replaced but merely merged.
6. If you haven't yet done so, log back into your shop.

3.2 Updates and Upgrades

You have direct and unlimited access to updates and upgrades during the duration of your support contract. In order to receive constant information about available updates we ask you to subscribe to our RSS feed that we publish for your module.

More information regarding the subscription of this RSS feed can be found under: http://www.sellxed.com/en/updates_upgrades.

We only recommend an update if something doesn't work in your shop, if you want to use new feature or if there is a necessary security update.

3.2.1 Update Checklist

We ask you to strictly comply with the checklist below when doing an update:

1. Always do a backup for your database and your files in your shop
2. Use always a test system to test the update process.
3. Wait until all the files are copied to the shop, clear the cache if there is one in your shop and then visit the configuration page of the main module so that the update process will be initialized.

Do not do updates directly in the live environment

Please test the update procedure first in your test shop. Our support team is able and willing to help you if you experience problems with the update process. However, if you decide to perform the update directly in your live shop there is the possibility of a downtime of the shop of more than two days depending on the availability of our support if you do not want to book our [complementary support](#).

Depending on the version it could be that the database has to be migrated. We recommend you therefore, to perform the updates in times when the shop is not visited too frequently by your customers.

3.2.2 Update Instructions

Please always read the update instruction. Those instructions can be found in the changelog. If there are no special remarks, you can proceed by just overwriting the files in your system.

4 Module Configuration in the OXID Shop

The configuration consists of two steps. The first step is the configuration of the main module with all the basic settings (cf. [Configuration of the Main Module](#)). During the second step you can then carry out individual configurations for each [payment method](#). This allows for full flexibility and perfect adaptation to your processes.

Create backups!

Please create a backup of the main directory of your shop. In case of problems you will then always be able to return your shop to its original state.

We furthermore recommend testing the integration on a test system. Complications may arise with third party modules installed by you. In case of questions, our support is gladly at your disposal.

4.1 Configuration of the Main Module

The settings for the main module can be found under **Extensions > Module**. Install the module by clicking **Activate**.

By clicking on the tab **Settings** you get to the configuration of the main module. Fill in the boxes by using the data that you have received from TWINT and may have already saved in the backend of TWINT. Each option is additionally explained in a short info text in the shop.

4.1.1 Settings

4.1.1.1 Update interval for payments

Payments may be updated periodically (interval in minutes). To use this feature you have to setup a cron job.

4.1.1.2 Order Creation

Choose when the order should be created. If set to 'Before Payment', orders are created in any case. If set to 'After Payment', an order is created only if the payment is successful.

4.1.1.3 Order ID

Use this setting to enforce the behaviour of unique order IDs, even if they are not.

Changing Order Creation and Order ID Settings

Changing these settings may cause duplicate transaction ids to be distributed, which will cause errors during transaction processing. If you wish to change these after transactions have been created you must backup then empty the module transaction table in the database.

4.1.1.4 Delete Orders on Failure

Set to yes to delete the order when the authorization fails. Otherwise the internal order status is set to 'PAYMENT_FAILED'.

4.1.1.5 Logging Level

Messages of this or a higher level will be logged.

4.1.2 OXID 6 Installation

After uploading the plugin via S/FTP, log into your server via SSH and navigate to the root folder of OXID. In this directory, run the following commands so the plugin is available in the backend:

```
command vendor/console/bin oe:module:install-configuration source/modules/customweb/twintcw/
```

```
php vendor/bin/oe-console oe:module:activate twintcw
```

```
php vendor/bin/oe-console oe:module:apply-configuration
```

4.2 Configuration of the Payment Module

After having successfully configured the main module, you can find the settings for the individual payment methods in your shop under **Shop Settings > Payment Methods** . Each method is listed individually.

Install the payment methods you wish to offer your customers. Open the payment method and tick the box next to **Active**.

By clicking on TWINT Configuration, you can save different settings for each payment method and thereby optimally adapt the payment methods to your existing processes

Payment Methods not Displayed in the Checkout

Please check if you have attributed the payment method to the available countries as well as customer groups in case a should payment method not be visible in the checkout.

4.3 Direct Capturing of Transactions

The option "Capture" allows you to specify if you wish to debit payments directly or if you first wish to authorise them and then debit the payment at a later point.

Depending on your acquiring contract, a reservation is only guaranteed for a specific period of time. Should you fail to debit the payment within that period, the authorisation may therefore no longer be guaranteed. Further information on this process can be found below.

Different settings between TWINT and the module

It may be that settings saved in the payment modules overwrite settings saved in TWINT.

4.4 Uncertain Status

You can specifically label orders for which the money is not guaranteed to be received. This allows you to manually control the order before shipment.

4.4.1 Setting the order state

For each payment method you may select in which state the order should be set to depending on the booking state. This is the initial state of the order.

4.5 Optional: Validation

Note: It can be that this option is not visible in your module. In this case just ignore this section.

With the option 'Validation' you can define the moment when the payment method should be made visible to the customer during the checkout process. This setting is relevant for modules where the usage depends on the customer's compliance with specific preconditions. For example, if a solvency check has to be carried out or if the payment method is only available in certain countries. In order for the credit check or address validation to also work with European characters, the charset of the "Blowfish mode" must be set to "UTF-8" for certain PSP settings.

You have the choice between these options:

- **Validation before the selection of the payment method:** A validation verification is carried out before the customer selects the payment method. If the customer does not fulfill the requirements, the payment method is not displayed
- **Validation after selection of the payment method:** The verification of the compliance occurs after the selection of the payment method and before the confirmation of the order
- **During the authorisation:** The validation verification is carried out by TWINT during the authorisation process. The payment method is displayed in any case

5 Settings / Configuration of Payment Methods

5.1 General Information About the Payment Methods

The plugin contains the most common payment methods. In case a desired payment method is not included per default, please contact us directly.

In order to be able to use a payment method, it must be activated in your account with TWINT as well as in your shop. Information about the configuration of the payment methods can be found further above.

Below you can find important information for specific payment methods that deviate from the standard process.

5.2 Information on Payment Status

For each payment method you can define an initial payment status (status for authorized payments etc.). You hereby define the payment status for each state depending on the processing type of the order (captured, authorized, etc.). It's the initial status which the order assumes. Depending on the mutation carried out by you, the status can change.

Important info regarding Order Status

Never set the status to **Pending TWINT** or any similar pending status which is implemented by the module.

5.2.1 Order status "pending" / imminent payment (or similar)

Orders with the status 'pending TWINT' are pending orders. Orders are set to that status if a customer is redirected in order to pay but hasn't returned successfully or the feedback hasn't reached your shop yet (Customer closed window on the payment page and didn't complete payment). Depending on the payment method these orders will automatically be transformed into cancelled orders and the inventory will be cleared (so long as the Cronjob is activated). How long this takes depends on the characteristics of the payment method and cannot be configured.

If you have a lot of pending orders it usually means that the notifications from your webserver to TWINT are being blocked. In this case check the settings of your firewall and ask the Hoster to activate the IPs and User Agents of TWINT.

5.2.2 Order status "cancelled"

Orders with the status "cancelled" have either been set to that status automatically due to a timeout, as described above, or have been cancelled directly by the customer.

6 The Module in Action

Below you will find an overview of the most important features in the daily usage of the TWINT module.

6.1 Useful Transaction Information on the Order

In the tab **TWINT Transactions** you can find an overview of the transaction information. Among others, this information allows for the definite attribution of the orders to their corresponding transaction, seen in the backend of TWINT.

Autorisierungsbetrag	947.19
Währung	EUR
Zahlungsmethode	Visa
Zahlungsid	25839786
Verbuchter Betrag	947.19
Transaktion autorisiert	Ja
Transaktion ist unsicher	Nein
Transaktion verbucht	Ja
Transaktion bezahlt	Ja
Akzeptanz	test123
Kartenummer	XXXXXXXXXXXX0003
Kartenablaufdatum	12/15
Händler Referenz	ox_sel_pf_2

Figure 6.1: Transaction Information in OXID

6.2 Refunds

You can create refunds for charged transactions and transmit them to TWINT automatically. In order to do this, open the invoice for a captured order. By clicking on "Credit Memo", a new dialogue for refunds opens. Adjust the amount you would like to refund and click "Refund" to submit it to TWINT.

The process demonstrated by screenshots:

Order View

Information

Invoices

Credit Memos

Shipments

Comments History

Transactions

Order # 200000003 | 17.04.2014 16:40:42

Back

Edit

Send Email

Credit Memo

Hold

Ship

Reorder

Page 1 of 1 pages | View 20 per page | Total 1 records found

Reset Filter

Search

Invoice #	Bill to Name	Invoice Date	Status	Betrag
		From: <div></div>	<div></div>	From: <div></div>
		To: <div></div>		To: <div></div>
200000003	Thomas Lueth	17.04.2014 16:41:41	Paid	20,99 €

Figure 6.1: 1. Open the invoice

Invoice #100000026 Paid 23.04.2014 18:52:08 (the invoice email is not sent)		Back	Send Email	Credit Memo	Print
Order # 100000043 (the order confirmation email was sent)		Account Information			
Order Date	23.04.2014 18:51:23	Customer Name	Test Test		
Order Status	Processing	Email	Info@customweb.com		
Purchased From	Main Website Main Store English	Customer Group	General		

Figure 6.1: Refund overview

6.2.2 Refunding Customized Amounts

Magento also allows you to define any amount to refund. In order to do this, follow these steps:

1. Open the Credit Memo Dialogue as described above
2. Set the number of products you wish to refund to 0
3. Enter any amount in the field **Adjustment Refund**

6.2.3 Deducting a Processing Fee for Refunds

You can charge a processing fee for the refunds by following these steps:

1. Open the Credit Memo Dialogue as described above
2. In the field **Adjustment Fee**, define any amount as a processing fee.

Adjusting the amounts for several refunds

It is possible to conduct several refunds for one order. Please note, that the maximum amount for the total of refunds is 100% of the original amount. If you already conducted a refund you need to make sure not to refund more than the original amount by adjusting the quantity and the adjustment fee.

6.3 Capturing / Cancelling of Orders

Our module allow you to capture payments directly from within Oxid eSales without having to log into TWINT.

6.3.1 Capturing Orders

In order to capture orders, open the transaction tab (TWINT Transactions). By clicking on the button **Capture** a new window will open up in which you can capture transactions.

You can now capture each item individually if you don't want to ship them all at once. The amount of possible partial captures depends on your contract. For more information on this, please contact TWINT directly.

Capturing of Orders in the backend of TWINT

The transaction management between your shop and TWINT is not synchronised. If you capture payments with TWINT, the status in the shop will not be updated and a second capturing in the shop is not possible.

If you do not want to capture all items of an order, click on 'Close transaction for further captures'.

Teilbuchung

Mit dem folgenden Formular können Sie eine Teilbuchung durchführen.

Name	SKU	Typ	Steuersatz	Menge	Gesamttotal (exkl. MwSt.)	Gesamttotal (inkl. MwSt.)
Trapez ION SOL KITE 2011	1401	product	0 %	2	216.80	216.80
Transportcontainer THE BARREL	3788	product	0 %	1	20.97	20.97
Shipping		shipping	0 %	1	6.90	6.90

Gesamtbuchungsbetrag: 244.67 EUR

Transaktion für weitere Buchungen schließen ☐

Buchung

Figure 6.1: Capturing of Orders in OXID eSales.

Partial Capturing

Please find out if the capturing of partial amounts is supported by your TWINT contract. If this is not the case, it might happen that no further captures can be carried out.

6.3.2 Cancelling Orders

By clicking **Cancel** the transaction is **cancelled** and the amount reserved on the customer's card will be released immediately.

6.4 Refunding Orders

In order to refund orders, open the transaction tab (TWINT Transactions) and click on **Refund**. A new window will open up.

You can refund every item individually or any amount of your choice by modifying the total amount to pay or the amount of items.

Teil-Rückvergütung

Mit dem folgenden Formular können Sie eine Teil-Rückvergütung durchführen.

Name	SKU	Typ	Steuersatz	Menge	Gesamttotal (exkl. MwSt.)	Gesamttotal (inkl. MwSt.)
Trapez ION SOL KITE 2011	1401	product	0 %	1	108.40	108.40
Shipping	shipping	shipping	0 %	1	6.90	6.90

Gesamtrückvergütungsbetrag: 115.30 EUR

Transaktion für weitere Rückvergütungen schließen ☐

Figure 6.1: Refunds in OXID eSales for TWINT.

Maximal Refund

With our module it is not possible to refund more than 100% of the originally authorised amount.

Executing a refund will not change the status of the order.

6.5 Setup a Cron Job to Activate the Timed Operations

To activate the timed operations of the plugin (e.g. update service, deleting pending orders, etc.) make sure that you set up the OXID Cron engine. Especially the update function allows you to automatically retrieve additional information or changes of your order directly via the API of TWINT. Please note it could be that in order to use the update feature it may be necessary that TWINT activates additional options in your account.

In order to use the timed operations, please schedule a cron job in your server to the following controller:

`http://urltoyourstore.com/index.php?cl=twintcw_cron`

Here we suggest you use a Cron Engine like for example [EasyCron](#). That way you can This allows you to open the file (URL) with an external service.

7 Testing

Before switching from test to live mode it is important that you test the module extensively.

Testing

Do not forget to switch the operating mode from test to live after having successfully tested the module.

7.1 Test Data

In the following section you can find the test data for the various payment methods:

7.2 Testing with TWINT

Make sure you are in the Live Mode and carry out a test transaction with your smart phone. For the tests we recommend you set the booking in the configuration of the payment method to 'delayed' so that the money won't be debited directly. Testing in test mode is only possible if you have the special Twint developer app. This needs to be setup for you by Twint directly. If you are interested in this please contact Twint.

8 Errors and their Solutions

You can find detailed information under <http://www.sellxed.com/en/fag>. Should you not be able to solve your problem with the provided information, please contact us directly under: <http://www.sellxed.com/en/support>

8.1 The Referrer URL appears in my Analytics Tool

When a customer and the notification are redirected via Header Redirection, the TWINT Referrer URL might appear in your Analytics Tool thus hiding the original traffic source. However, most Analytic Tools are able to minimize this problem.

In case you are using Google Analytics as reporting tool, this step by step guide may help you to exclude the URLs: [under bullet point 4](#).

9 Compatibility with Third-Party Plugins

The plugins listed below are compatible with our payment modules and allow you to handle certain tasks in an easier way.

9.1 Birthday and gender in OXID

For certain payment service providers it is necessary to check the birthday and the gender of a customer. OXID does not check this by default. These checks can be enabled under "Settings > Other Settings > Mandatory fields in User Registration Form".

10 Error Logging

The module will log different unexpected errors or information depending on the configured level. If there is any issue with the module, this log can help identify the cause.

10.1 Log Levels

You can configure the log level in the TWINT settings.

- Error: Logs unexpected errors only. (Default)
- Info: Logs extended information.
- Debug: Logs information helpful for debugging.

10.2 Log Location

The log file is stored in the OXID log directory. Please make sure the folder and it is writable by the webserver. (Default Path: {shopRootDirectory}/logs/)

11 Advanced Information

This section of the manual is for advanced usage of the module. The content is for advanced users with special requirements. Everything in this section is optional and not required for the daily usage of the module.

11.1 Transaction Object

This section describes how to extract information from a transaction, if you need it for further processing. E.g. you require more information of the transaction for further processing an order in your ERP system.

The code snippets in this section assume your script resides in the root folder of the shop with the default shop folder structure.

Have OXID initialized in your script, this is required for the database connection.

```
require_once dirname(__FILE__) . "/bootstrap.php";
```

Include the module module classes.

```
require_once 'modules/customweb/twintcw/classes/TwintCwHelper.php';
```

Now you can load the transaction and then extract the transactionObject.

Load the transaction by Id:

```
$transactionById = TwintCwHelper::loadTransaction(transactionId);  
$transactionObject = $transactionById->getTransactionObject();
```