

Installation Manual for Datatrans WooCommerce

This manual describes the installation and usage of the Datatrans extension for WooCommerce.

Release Date: Mon, 07 Aug 2023 14:01:06 +0200
Version: 5.0.107

wallee AG
General-Guisan-Strasse 47
CH-8400 Winterthur

E-Mail: info@sellxed.com

Telefon:

CH: +41 (0)44 505 13 60

DE: +49 (0)40 2999 60117

UK: +44 (0)161 850 6890

US: +1 (0)205 557 5869

© copyright by wallee AG Mon, 07 Aug 2023 14:01:06 +0200

#####conditional#####

Table of Contents

1	Introduction	5
1.1	Procedure of the Installation	5
1.2	System Requirements	6
2	Configuration Datatrans - Backend	7
2.1	Configuration - UPP Administration	7
2.2	Security - Configuration of the Sign-Parameters	8
2.3	Security - Activation of the IP Whitelisting	9
2.4	Fraud Risk Management	10
2.5	Transactions	10
3	Module Installation and Update in the WooCommerce Shop	11
3.1	Installation	11
3.2	Updates and Upgrades	11
3.2.1	Update Checklist	11
3.2.2	Update Instructions	12
4	Module Configuration in the WooCommerce Shop	13
4.1	Configuration of the Main Module	13
4.2	Defining the URL for the Transaction Feedback	13
4.7	Redirection / Payment Form Error	15
4.4	Direct Capturing of Transactions	13
4.5	Uncertain Status	14
4.5.1	Setting the order state	14
4.6	Optional: Validation	14
5	Settings / Configuration of Payment Methods	16
5.1	General Information About the Payment Methods	16
5.2	Information on Payment Status	16
5.2.1	Order status "pending" / imminent payment (or similar)	16
5.2.2	Order status "cancelled"	16
5.3	OpenInvoice / Invoice via MFGGroup or Swissbilling	17
6	The Module in Action	18
6.1	Useful Transaction Information on the Order	18
6.2	Usage of the Alias Managers / Token Solution	18

6.3	Capturing of Orders	19
6.4	Refunds	21
6.5	Transaction Process	22
6.6	Setup a Cron Job to Activate the Timed Operations	23
7	Testing	24
7.1	Test Data	24
8	Errors and their Solutions	26
8.1	Page Not Found Error prior to the redirection to Payment Page	26
8.2	The Referrer URL appears in my Analytics Tool	26
9	Compatibility with Third-Party Plugins	27
9.1	Fee's and discount's within WooCommerce	27
9.2	Multilingual WooCommerce sites	27
9.3	Birthday and gender in WooCommerce	27
10	Error Logging	28
10.1	Log Levels	28
10.2	Log Location	28
11	Advanced Information	29
11.1	Transaction Object	29

1 Introduction

This manual explains the installation, configuration and usage of the payment module for WooCommerce and Datatrans.

Before beginning with the installation, please make sure that you are in possession of all necessary data:

- You should have received a Merchant ID from Datatrans for the test account (beginning with 1xxxxxxx) as well as a Merchant ID for the live account (beginning with 3xxxxxxx). Furthermore, you have received the corresponding user name and password
- WooCommerce payment module by sellxed.com/shop
- Access data to your server and shop

In case you don't yet have a contract with Datatrans, you can gladly acquire it directly through us.

Note that you must use at least PHP version 5.6 for our plugins. PHP 8 or higher is currently not supported.

1.1 Procedure of the Installation

In this document you will find all important information for the installation of the module. It is important that you strictly follow the checklist. Only by doing so, can a secure usage in correspondence with all security regulations be guaranteed.

1. Configuration of the test administrative interface of Datatrans. You can find the test platform under <https://admin.sandbox.datatrans.com/>
2. Configuration of the basic settings of the payment module
3. Configuration of the payment methods
4. Carrying out of a test purchase by means of the attached [test data](#) at the end of this document
5. If the test was successful, copy all data of your test account into the live account of Datatrans. The live environment can be found under the following URL: <https://admin.datatrans.com/>

Installation Service

Our payment plugins should have per default the correct settings for most of our customers' preferences. That means once you have entered the required credentials in the plugin configuration to connect your account to your website, the plugin should be fully operational. Should you be willing to receive detailed information on a setting you do not know, you may contact our support team who will be able to assist you further.

Our support team is at your disposal during regular business hours at: <http://www.sellxed.com/support>. Furthermore, you have the option of ordering our installation service. We will make sure the plugin is installed correctly in your shop: <http://www.sellxed.com/shop/de/integration-und-installation.html>

.htaccess Directory Protection

In order to test the module, any kind of directory protection or IP blocking on your server must be deactivated. This is crucial as otherwise the payment feedback of Datatrans might not get through to the shop.

1.2 System Requirements

In general, the plugin has the same system requirements as WooCommerce. Below you can find the most important requirements of the plugin:

- PHP Version: 5.4.x or higher
- OpenSSL: Current version with support for TLS 1.2 or higher.
- fsockopen: The PHP function fsockopen must be enabled. The plugin must be able to connect to external systems over the Internet.
- PHP Functions: All common PHP functions must be enabled.

2 Configuration Datatrans - Backend

For the configuration, log into Datatrans in the Payment Web Administration Tool:

- Test Environment: <https://admin.sandbox.datatrans.com/>
- Live Environment: <https://admin.datatrans.com/>

The settings carried out on the following pages are a precondition for the later [configuration of the main module](#).

2.1 Configuration - UPP Administration

Under UPP Administration the settings for the feedback of Datatrans to the shop are defined.

The configuration of the feedback-URL plays a central role in the configuration of the module. Should the saved URLs not be correct, no feedback is returned to your shop. This leads to the payment not being processed correctly.

URL Successful, URL Failed, URL Cancel are all transmitted by our module. For this reason, enter **none** into the boxes.

For the **Transaction Feedback** please enter the URL that is generated in the main module. More information can be found under the section [Transaction Feedback](#)

Make sure that you did not tick the option "Cancel payment when Post-URL not available" and "Decline transaction with response code 02".

As an illustration we have added a screenshot:

The screenshot shows the 'UPP Daten' configuration page. At the top, there are navigation tabs: 'Transaktionen', 'Berichte', 'Buchen', 'UPP Verwaltung', and 'Benutzerverwaltung'. Below these are sub-tabs: 'UPP Daten', 'Zahlungsarten', 'UPP Designer', 'Sicherheit', and 'Fraud Risk Management'. A 'Hilfe' icon is in the top right. The main content area is titled 'UPP Daten' and contains the following fields and options:

- Merchant-ID: 1100003396 : Demo Customweb UPP
- Händler-Land: SWITZERLAND
- Email: info@customweb.ch
- Sprache: Deutsch (dropdown menu)
- URL Erfolgreich: none (Pflichtfeld)
- URL Fehler: none (Pflichtfeld)
- URL Abbruch: none (Pflichtfeld)
- URL Post: http://yourshop.com/url_as_indicated_in_the_manual.html (Wahlfeld)
- URL Post Datenformat:
 - Daten in HTML FORM
 - Daten in XML(request header)
 - Daten in XML(request body)
- Transaktionen mit Antwortcode 02 ablehnen
 - E-Mail-Benachrichtigung an [text input]
- Transaktionen mit Antwortcode 02 ablehnen AMEX
 - E-Mail-Benachrichtigung an [text input]
- Ablehnung, wenn postUrl nicht verfügbar

A 'Bestätigen' button is located at the bottom right of the form.

Figure 2.1: Configuration UPP Data.

2.2 Security - Configuration of the Sign-Parameters

The sign parameters are required in order to ensure the authenticity of the communication between Datatrans and your shop. It is not necessary to define the sign parameters, however, we strongly recommend carrying out the following settings.

Choose the HMAC-SHA256 Algorithm for the signature. By clicking on **generate new key**, a new sign will automatically be created. Enter this sign into the respective box within the main module and note it in a text file. You will require it for the later configuration.

We also recommend using a different **sign2-key**. Click on **generate new key** and note it down or copy it into the sign2-box in the main module.

Furthermore, we recommend ticking **Also sign settlement requests**.

As an illustration, please see the screenshot:

Es wird eine zusätzliche Merchant-Identifikation in den Zahlungsmeldungen mitgeschickt
 Der Parameter **sign** muss immer mit folgendem Wert in jeder Authorisierungs-Meldung mitgeliefert werden
 sign =

Wichtige Parameter werden digital unterschrieben und die Unterschrift (HMAC-SHA256) in der Zahlungsmeldung mitgeschickt
 Der Parameter **sign** muss immer in jeder Authorisierungs-Meldung mitgeliefert werden.
 Er enthält eine digitale Unterschrift (ein verschlüsselter HashCode HMAC-SHA256 in hexadezimal Format).
 Unterschrieben werden die Werte der Parameter MerchantID, Amount, Currency und Reference Nummer (zusammengesetzt)
 Ihr HMAC Schlüssel (in hexadezimal Format):

```
84931f58e81b65f8eb063fb8e2b155cb03cc477e73f59
2951b473180408101ed39a467f76d607dbb1a98a636b1
7eec479dfbecdb0c875d587b689333199edd
```

→ **Neuen Schlüssel generieren** (Letzte Generierung am 27/06/2017 10:17)
Der Schlüssel muss vor der Anwendung von hex zu byte Format konvertiert werden.

→ Beispiel HMAC-SHA256
 → Beispiel HMAC-MD5 (weak, not recommended)

Einen anderen Schlüssel für **sign2** verwenden

```
acefbc2b30d216e1b34c603e832e4a3d86a82c413358
6a9bbcc9087c23b9a1626b77a86f6e4f21b81c29a7eac
9d69e4ff80ca36083efcb7bfce3ba26b17bc40b
```

→ **Neuen Schlüssel generieren** (Letzte Generierung am 27/06/2017 10:17)

Die Unterschrift auch bei Settlements verwenden

[Bestätigen](#)

Figure 2.1: Configuration Security.

2.3 Security - Activation of the IP Whitelisting

We support the IP whitelisting option as authentication method to Datatrans. (Server-to-server protection with password we don't support)

To do this, remove the "Protect server-to-server services with password" option and enable the "Enable IP whitelist protection (legacy APIs)" option.

Then, in the "Permitted IP addresses" field, add the IP addresses of your shop/server that communicates with Datatrans:

Transaktionen
Berichte
Buchen
UPP Verwaltung
Benutzerverwaltung

UPP Daten
Zahlungsarten
PSD Exemptions
UPP Designer
Sicherheit
Fraud Risk Management

Server-to-Server services security → Sicherheit

Protect server-to-server services with password: Uncheck

Username:

Password:

[Generate new pass](#)

Enable IP whitelist protection (legacy APIs): Check

Permitted IP addresses:
(To separate IP addresses, please add IP address per line, empty list permits all IPs)

[Bestätigen](#)

© 2023 Datatrans - ver. 3.24.24

2.4 Fraud Risk Management

Under the tab Fraud Risk Management you can exclude certain countries of origin of credit cards due to their risk management of payments. In this case, these credit cards will be refused by authorisation process of Datatrans.

2.5 Transactions

In the tab Transactions you can find an overview of effected transactions. You can authorise, debit or refund them directly. However, due to the integrated transaction manager of in all sellxed payment modules, you can also do this directly from within the shop. **Caution: If you debit payments here then the status is not synchronised with the shop. A renewed debiting in the shop will fail.**

3 Module Installation and Update in the WooCommerce Shop

3.1 Installation

At this time you should already be in possession of the module. Should this not be the case, you can download the necessary files in your customer account in the [sellxed shop](#) (Menu "My Downloads Downloads"). In order to install the module in your shop, please carry out the following steps:

1. Download the plugin. The download can be found in your sellxed.com account under "My Downloads".
2. Unzip the archive you have just downloaded.
3. In the unzipped folder navigate to the folder "files"
4. For some shops there are different versions of the plugin provided. If this is the case open the folder which corresponds to your shop version.
5. Using your preferred FTP client upload **entire content** of this folder into the root directory of your shop. For some shops there is a specific folder containing the plugins. If that is the case upload the plugin into this folder. Make sure that the folders aren't replaced but merely merged.
6. If you haven't yet done so, log back into your shop.

3.2 Updates and Upgrades

You have direct and unlimited access to updates and upgrades during the duration of your support contract. In order to receive constant information about available updates we ask you to subscribe to our RSS feed that we publish for your module.

More information regarding the subscription of this RSS feed can be found under: http://www.sellxed.com/en/updates_upgrades.

We only recommend an update if something doesn't work in your shop, if you want to use new feature or if there is a necessary security update.

3.2.1 Update Checklist

We ask you to strictly comply with the checklist below when doing an update:

1. Always do a backup for your database and your files in your shop
2. Use always a test system to test the update process.
3. Wait until all the files are copied to the shop, clear the cache if there is one in your shop and then visit the configuration page of the main module so that the update process will be initialized.

Do not do updates directly in the live environment

Please test the update procedure first in your test shop. Our support team is able and willing to help you if you experience problems with the update process. However, if you decide to perform the update directly in your live shop there is the possibility of a downtime of the shop of more than two days depending on the availability of our support if you do not want to book our [complementary support](#).

Depending on the version it could be that the database has to be migrated. We recommend you therefore, to perform the updates in times when the shop is not visited too frequently by your customers.

3.2.2 Update Instructions

Please always read the update instruction. Those instructions can be found in the changelog. If there are no special remarks, you can proceed by just overwriting the files in your system.

4 Module Configuration in the WooCommerce Shop

The configuration consists of two steps. The first step is the configuration of the main module with all the basic settings (cf. [Configuration of the Main Module](#)). During the second step you can then carry out individual configurations for each [payment method](#). This allows for full flexibility and perfect adaptation to your processes.

Create backups!

Please create a backup of the main directory of your shop. In case of problems you will then always be able to return your shop to its original state.

We furthermore recommend testing the integration on a test system. Complications may arise with third party modules installed by you. In case of questions, our support is gladly at your disposal.

4.1 Configuration of the Main Module

You can activate the plugin by clicking "activate" under the module WooCommerce Datatrans in the menu **Plugins**.

After the Installation of the plugin a new menu on the dashboard will appear called **Datatrans**. Enter all data in the corresponding fields. Each option is, furthermore, explained in short info texts in the shop.

4.2 Defining the URL for the Transaction Feedback

To ensure correct payment processing in your shop, at least one Feedback URL has to be provided in the Datatrans configuration. The URL to be entered can be found in your WooCommerce Shop under: **Datatrans > Setup > Setup**

4.3 Configuration of the Payment Module

After having successfully configured the main module, you can find the settings for the individual payment methods in your shop under **WooCommerce > Settings > Checkout** (In earlier version it was **WooCommerce > Settings > Payment Gateways**). Each payment method is listed individually. Install the payment methods you wish to offer to your customers. You can carry out individual settings for each payment method and thereby optimally adapt the payment methods to your existing processes. The most central options are described in more detail further below.

By clicking on **Enable** the payment method is activated in your shop. For more detailed information on the settings, please refer to information provided directly within the module configuration.

4.4 Direct Capturing of Transactions

The option "Capture" allows you to specify if you wish to debit payments directly or if you first wish to authorise them and then debit the payment at a later point.

Depending on your acquiring contract, a reservation is only guaranteed for a specific period of time. Should you fail to debit the payment within that period, the authorisation may therefore no longer be guaranteed. Further information on this process can be found below.

Different settings between Datatrans and the module

It may be that settings saved in the payment modules overwrite settings saved in Datatrans.

4.5 Uncertain Status

You can specifically label orders for which the money is not guaranteed to be received. This allows you to manually control the order before shipment.

4.5.1 Setting the order state

For each payment method you may select in which state the order should be set to depending on the booking state. This is the initial state of the order.

4.6 Optional: Validation

Note: It can be that this option is not visible in your module. In this case just ignore this section.

With the option 'Validation' you can define the moment when the payment method should be made visible to the customer during the checkout process. This setting is relevant for modules where the usage depends on the customer's compliance with specific preconditions. For example, if a solvency check has to be carried out or if the payment method is only available in certain countries. In order for the credit check or address validation to also work with European characters, the charset of the "Blowfish mode" must be set to "UTF-8" for certain PSP settings.

You have the choice between these options:

- **Validation before the selection of the payment method:** A validation verification is carried out before the customer selects the payment method. If the customer does not fulfill the requirements, the payment method is not displayed
- **Validation after selection of the payment method:** The verification of the compliance occurs after the selection of the payment method and before the confirmation of the order
- **During the authorisation:** The validation verification is carried out by Datatrans during the authorisation process. The payment method is displayed in any case

4.7 Redirection / Payment Form Error

If the successful redirection to the payment page suddenly stops working or you are only able to see the header and footer of your template instead of the payment form, you might be affected of the following issue. As a first step, you should update your payment plugin to the latest version, deactivate it in the backend of WooCommerce and activate it again.

If you are using **WPML** it can happen that the page for the redirection of the customer to Datatrans payment page results in a '404 Page Not Found' error. In this case, you will have to duplicate our checkout page under 'Pages' in the corresponding languages. In order to do so please follow these steps:

1. Go to the WooCommerce backend and select: Pages > All Pages. There you should find a Page called "Datatrans Checkout".
2. Delete all existing pages called "Datatrans Checkout".
3. In the plugin section of your Wordpress dashboard, deactivate the WooCommerce Datatrans plugin and activate it again. This will help you to generate a new redirection page.
4. Navigate again to Pages > All Pages. Open the configuration of the new redirection page.
5. On the right hand side under 'languages' you can now duplicate the content of this page for all of your installed languages. When you have successfully saved the changes, this page will be active for all of your languages and the error should have disappeared.

5 Settings / Configuration of Payment Methods

5.1 General Information About the Payment Methods

The plugin contains the most common payment methods. In case a desired payment method is not included per default, please contact us directly.

In order to be able to use a payment method, it must be activated in your account with Datatrans as well as in your shop. Information about the configuration of the payment methods can be found further above.

Below you can find important information for specific payment methods that deviate from the standard process.

5.2 Information on Payment Status

For each payment method you can define an initial payment status (status for authorized payments etc.). You hereby define the payment status for each state depending on the processing type of the order (captured, authorized, etc.). It's the initial status which the order assumes. Depending on the mutation carried out by you, the status can change.

Important info regarding Order Status

Never set the status to **Pending Datatrans** or any similar pending status which is implemented by the module.

5.2.1 Order status "pending" / imminent payment (or similar)

Orders with the status 'pending Datatrans' are pending orders. Orders are set to that status if a customer is redirected in order to pay but hasn't returned successfully or the feedback hasn't reached your shop yet (Customer closed window on the payment page and didn't complete payment). Depending on the payment method these orders will automatically be transformed into cancelled orders and the inventory will be cleared (so long as the Cronjob is activated). How long this takes depends on the characteristics of the payment method and cannot be configured.

If you have a lot of pending orders it usually means that the notifications from your webserver to Datatrans are being blocked. In this case check the settings of your firewall and ask the Hoster to activate the IPs and User Agents of Datatrans.

5.2.2 Order status "cancelled"

Orders with the status "cancelled" have either been set to that status automatically due to a timeout, as described above, or have been cancelled directly by the customer.

5.3 OpenInvoice / Invoice via MFGroup or Swissbilling

With your Datatrans module you have now the possibility to process invoices via **MFGroup (POWERPAY)** or **Swissbilling**. To do so, activate as usual the payment method in your shop and select the the processor from the drop-down list.

Additionally you have the possibility to choose, if there should be a credit check in the background before the payment method display. And if the payment method should be hidden during a negative feedback. To be able to do so, the appropriate options have to be activated by Datatrans and the processor. Set under validation the right point in time. You have three options:

1. Before the selection of the payment method: This option enables you to process the credit check before the payment method display
2. After the selection of the payment method: The credit check is processed after the customer has chosen a payment method, but didn't complete the order.
3. During the authorization: This is standard. The processing happens during the authorization by your Datatrans.

6 The Module in Action

Below you will find an overview of the most important features in the daily usage of the Datatrans module.

6.1 Useful Transaction Information on the Order

You can find an overview of the transaction information in within the order detail view. Among others, this information allows for the definite attribution of the orders to their corresponding transaction, seen in the backend of Datatrans.

#	Transaction Number	Date	Payment method	Is authorised	Amount
8	26_8	2013-10-04 11:29:35	Saferpay Test Card	Yes	200.00

Authorisation amount	200.00
Currency	EUR
Payment method	Saferpay Test Card
Payment ID	dzhzlbUOMIGAYWG618AIWKp5MA
Captured amount	200
Refunded amount	200
Transaction authorised	Yes
Transaction uncertain	No
Transaction captured	Yes
Transaction paid	Yes
Alias	xxxx xxxx xxxx 0111
Card number	xxxx xxxx xxxx 0111
Card expiry date	12/2015
Card Type	Saferpay Test Card
3D Secure	Successful

Figure 6.1: Transaction Information in WooCommerce.

6.2 Usage of the Alias Managers / Token Solution

With the Alias Manager, your customers can securely save their credit cards with Datatrans for later purchases. You can enable this by activating the option "Alias Manager" in the configuration of the [Payment Method](#). The customer can then choose from his or her saved credit cards without having to re-enter all the details.




Figure 6.1: Alias Manager in WooCommerce

Alias Manager Options

The usage of the Alias Managers requires the activation of the correct option with Datatrans. To do so, please contact the support directly.

6.3 Capturing of Orders

Please note

The transaction management between your shop and Datatrans is not synchronized. If you capture payments with Datatrans, the status in the shop will not be updated and a second capturing in the shop is not possible.

In order to be able to capture orders you must make sure that you have set the option 'Capturing' to 'deferred' in the [payment method configuration](#).

Open the order and look for the Datatrans transaction tab at the bottom. Capturing via the internal operation of WooCommerce is not supported.

Customweb Transactions

#	Transaction Number	Date	Payment Method	Authorised	Amount
6	16	2017-01-06 10:23:49	MasterCard	Yes	10.00

[Less Details](#)

Authorisation Amount	10	Currency	CHF
Payment Method	MasterCard	Payment ID	452Wtjb3E7d7tASKGxK1bCEWxhdA
Test Transaction	Yes	Transaction authorised	Yes
Transaction uncertain	No	Transaction paid	Yes
Payment Method Name	MasterCard	Payment Details	xxxx xxxx xxxx 0000
Card holder name	Customweb	Card Expiry Date	12 / 20
Card Country Origin	DE	Acquirer Reference	000000
3ds Authentication	Yes	3ds Liability Shift	Yes
Authorisation Method	PaymentPage		

Previous actions

Date	Action	Message
2017-01-06 10:24:21	authorization	The amount of 10.00 is authorized.

Figure 6.1: Transaction details in the transaction tab of a specific order.

Click on "More Details" to view the transaction details. By clicking **Capture** button, you get into the following context.

Name	SKU	Type	Tax	Quantity	Total Amount (excl. Tax)	Total Amount (incl. Tax)
Testproduct	Testproduct	product	0 %	1	10.00	10.00
Total captured amount:						10.00CHF

Figure 6.1: Deferred/Manual capture of transactions within WooCommerce

Enter the amount of your choice that you wish to capture from the customer's card. By clicking **Capture** a direct capturing of the order occurs with Datatrans.

Please be aware that cancelling the transaction does not cause a status change of the order.

6.4 Refunds

You can refund already captured transactions and automatically transmit them to Datatrans.

Please note

That the default WooCommerce functionality is not supported by our plugin.

Customweb Transactions

#	Transaction Number	Date	Payment Method	Authorised	Amount
4	13	2016-11-04 14:50:07	MasterCard	Yes	20.00
Less Details					
Authorisation Amount	20	Currency	EUR		
Payment Method	MasterCard	Payment ID	b3YMh8bj8d4pvAnj0ddGAGvj3t9A		
Captured amount	20	Test Transaction	Yes		
Transaction authorised	Yes	Transaction uncertain	No		
Transaction captured	Yes	Transaction paid	Yes		
Payment Method Name	MasterCard	Payment Details	xxxx xxxx xxxx 0000		
Card holder name	Customweb	Card Expiry Date	12 / 20		
Card Country Origin	DE	Acquirer Reference	000000		
3ds Authentication	Yes	3ds Liability Shift	Yes		
Authorisation Method	PaymentPage				
Refund					
Captures					
Date		Amount		State	
2016-11-04 14:51:34		20		succeed	
Previous actions					
Date	Action	Message			
2016-11-04 14:51:33	authorization	The amount of 20.00 is authorized.			
2016-11-04 14:51:34	capturing	The amount of 20.00 is captured.			

Figure 6.1: Transactionsdetails via Orders > Datatrans Transactions.

By clicking **Refund** button, you get into the following context.

Name	SKU	Type	Tax	Quantity	Total Amount (excl. Tax)	Total Amount (incl. Tax)
Testproduct	Testproduct	product	0 %	2	20.00	20.00

Total refunded amount: 20.00CHF

Close transaction for further refunds

Figure 6.1: Refund of transactions within WooCommerce

Just like for the capturing, you open the order and click on the magnifying glass next to the order of your choice. Enter any refund amount of your choice in the field provided for this purpose. By clicking **refund** the refund request will directly be sent to Datatrans and the specified amount will be credited on the customer's credit card.

Please note that you can't refund more than 100% of the original amount.

Furthermore, please be aware that processing a refund will not cause a status change of the order.

6.5 Transaction Process

Each action affiliated with transaction management is logged by the module.




Figure 6.1: Transactions in the Overview of the Transaction Process

6.6 Setup a Cron Job to Activate the Timed Operations

To activate the timed operations of the plugin (e.g. update service, deleting pending orders, etc.) make sure that you set up the WooCommerce Cron engine. Especially the update function allows you to automatically retrieve additional information or changes of your order directly via the API of Datatrans. Please note it could be that in order to use the update feature it may be necessary that Datatrans activates additional options in your account.

The module uses the standard cron engine of WooCommerce. More information regarding the set up can be found [here](#).

7 Testing

Before switching from test to live mode it is important that you test the module extensively.

Testing

Do not forget to switch the operating mode from test to live after having successfully tested the module.

7.1 Test Data

In the following section you can find the test data for the various payment methods:

Credit / Debit Card

Card number	4900 0000 0000 0003	Visa: With 3-D Secure Check
Expiry Date	12/2021	
CVC	123	
Card number	5200 0000 0000 0007	MasterCard: Without 3D-Secure
Expiry Date	12/2021	
CVC	123	
Card number	5200 0000 0000 0080	MasterCard: With 3D-Secure
Expiry Date	12/2021	
CVC	123	
Card number	3750000000000007	American Express: With 3D Secure
Expiry Date	12/2021	
CVC	1234	
Card number	3616 7719 110 012	Diners
Expiry Date	12/2021	
CVC	123	
Card number	3569 9900 1003 0400	JCB
Expiry Date	12/2021	
CVC	123	
Card number	6759 6498 2643 8453	Maestro UK
Expiry Date	12/2021	
CVC	123	

Visa

Card number	4900 0000 0000 0003	Visa: With 3-D Secure Check
Expiry Date	12/2021	
CVC	123	

MasterCard

Card number	5200 0000 0000 0007	MasterCard: Without 3D-Secure
-------------	---------------------	-------------------------------

Expiry Date	12/2021	
CVC	123	
Card number	5200 0000 0000 0080	MasterCard: With 3D-Secure
Expiry Date	12/2021	
CVC	123	

American Express

Card number	3750000000000007	American Express: With 3D Secure
Expiry Date	12/2021	
CVC	1234	

Diners Club

Card number	3616 7719 110 012	Diners
Expiry Date	12/2021	
CVC	123	

JCB

Card number	3569 9900 1003 0400	JCB
Expiry Date	12/2021	
CVC	123	

Maestro UK

Card number	6759 6498 2643 8453	Maestro UK
Expiry Date	12/2021	
CVC	123	

8 Errors and their Solutions

You can find detailed information under <http://www.sellxed.com/en/fag>. Should you not be able to solve your problem with the provided information, please contact us directly under: <http://www.sellxed.com/en/support>

8.1 Page Not Found Error prior to the redirection to Payment Page

If you are using WPML it can occur that the Pages for the display of the payment methods or for the redirection to Datatrans end in a Page Not Found Error.

In this case you have to duplicate our Pages in the corresponding languages. In order to do so please follow these steps:

1. Go to the main menu and select **Pages > All Pages**. There you should find a Page called Datatrans Checkout.
2. Open the configurations.
3. On the right hand side under languages you can now duplicate the content of this page for all of your installed languages. When you have successfully saved the changes this page will be active for all of your languages and the Error should have disappeared.

8.2 The Referrer URL appears in my Analytics Tool

When a customer and the notification are redirected via Header Redirection, the Datatrans Referrer URL might appear in your Analytics Tool thus hiding the original traffic source. However, most Analytic Tools are able to minimize this problem.

In case you are using Google Analytics as reporting tool, this step by step guide may help you to exclude the URLs: [under bullet point 4](#).

9 Compatibility with Third-Party Plugins

The plugins listed below are compatible with our payment modules and allow you to handle certain tasks in an easier way.

9.1 Fee's and discount's within WooCommerce

To configure a Datatrans payment gateways based fee and discount you will need the following 3rd-Party plugin.

- [Checkout Fees for WooCommerce](#)

9.2 Multilingual WooCommerce sites

To run multilingual WooCommerce sites you will need the following 3rd-Party plugin.

- [WPML for WooCommerce](#)

9.3 Birthday and gender in WooCommerce

For certain payment service providers it is necessary to check the birthday and the gender of a customer. WooCommerce does not check this by default.

How to enable gender and birthday checks in your shops checkout

1. Either add custom checkout field yourself or download [Flexible Checkout Fields](#) to do so.
2. Modify the order context getters to return the value of your custom checkout field from the order / session (or wherever the previous step saves the data).

Order Context Getters

- AbstractOrderContext
- getBillingDateOfBirth()
- getBillingGender()

These functions can be found in "wp-plugins/woocommerce_datatranscw/classes/DatatransCw/AbstractOrderContext.php".

10 Error Logging

The module will log different unexpected errors or information depending on the configured level. If there is any issue with the module, this log can help identify the cause.

10.1 Log Levels

You can configure the log level in the Datatrans settings.

- Error: Logs unexpected errors only. (Default)
- Info: Logs extended information.
- Debug: Logs information helpful for debugging.

10.2 Log Location

The log file is stored in **wp-content/uploads/wc-logs**. Please make sure the path exists and it is writable by the webserver.

11 Advanced Information

This section of the manual is for advanced usage of the module. The content is for advanced users with special requirements. Everything in this section is optional and not required for the daily usage of the module.

11.1 Transaction Object

This section describes how to extract information from a transaction, if you need it for further processing. E.g. you require more information of the transaction for further processing an order in your ERP system.

The code snippets in this section assume your script resides in the root folder of the shop with the default shop folder structure.

Have Wordpress initialized in your script, this is required for the database connection.

```
require_once( dirname(__FILE__) . '/wp-load.php' );
```

Include the modules Util class.

```
require_once ABSPATH.'wp-content/plugins/woocommerce_datatranscw/classes/DatatransCw/Util.php';
```

Now you can load the transaction and then extract the transactionObject.

Load the transaction by Id:

```
$transactionById = DatatransCw_Util::getTransactionById($transactionId);
$transactionObject = $transactionById->getTransactionObject();
```

Load the transaction by the external Id:

```
$transactionByExternal = DatatransCw_Util::
getTransactionByTransactionNumber($externalId);
$transactionObject = $transactionByExternal->getTransactionObject();
```

Load transactions by Post ID, this is the internal WooCommerce order id:

```
$transactionsByPostId = DatatransCw_Util::getTransactionsByPostId
($orderId);
foreach($transactionsByPostId as $transaction){
    $transactionObject = $transaction->getTransactionObject();
    //Do something with each object
}
```